

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Road Luminaire Photometric Data



Description Information

Luminary Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Date: 2017-04-22 11:14:12
Manufacture: xinfang	Shld. Ang(°):	Test Machine:GON-2000
Test Lab: EVERFINE	Frequency(Hz):	Lamp CCT(K): Ra:
Lum. Size(W*L*H):0.000m*0.000m*0.000m	Lum. Area(m2):0.000	Lum. W(kg):
Test System: C, γ	Test Step: C=22.5 γ=1.0	Temp.(°C):
		Humidity(%):

Character Parameter

Lamp Speciality Parameter	Luminaire Speciality Parameter	
Rated Flux(lm): 40084.790	Luminary Flux(lm): 40084.790	Down Lumens&Percent: 39990.499lm 99.76%
Rated Power(W):	Luminary Efficiency: 100.00%	Up Lumens&Percent: 94.292lm 0.24%
Rated Voltage(V):	Luminary EER(lm/W): 129.934	76° Flash Area(m2):
Tested Power(W): 308.500	Max. Candela(cd): 13329.063	SLI: 0.000
Lamps' Inside: 1	Max Cand@Ang.(°): C=67.5 γ=44.0	IES Classification: Type IV
Tested Electrics(V, A, pf):	Half Peak Angle(°): L=-75.4, R=76.8	Longitudinal Classfct: Very Short
Lamp Size(W*L*H):0.000m*0.000m*0.000m	Field Angle(10%Imax): 166.1(°)	Cutoff Classification: Cutoff

Lighting Distribution Diagram





IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

2D Plane Light Intensity Distribution Curve

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

C Plane Distribution Diagram



C Plane	[50%MaxAng.]	[10%MaxAng.]
C67.5_247.5 :	152.2	166.1
C0.0_180.0 :	78.8	129.4
C90.0_270.0 :	151.5	163.2


IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

3D Light Intensity Distribution Modal

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

3D Light Intensity Distribution Modal



Curves: 3D Model — Fixture — Vert. HUD — Hori. HUD —
View Angles: Orient:0 Tilt:0 Roll:0 Spin:0

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Zonal Flux Tabulation

Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
0.0-1.0	10.10	10.10	0.03	0.03	45.0-46.0	739.23	739.23	1.84	1.84
1.0-2.0	30.28	40.37	0.08	0.10	46.0-47.0	745.13	1484.36	1.86	3.70
2.0-3.0	50.41	90.78	0.13	0.23	47.0-48.0	750.23	2234.59	1.87	5.57
3.0-4.0	70.46	161.24	0.18	0.40	48.0-49.0	754.38	2988.97	1.88	7.46
4.0-5.0	90.42	251.66	0.23	0.63	49.0-50.0	757.44	3746.41	1.89	9.35
5.0-6.0	110.26	361.93	0.28	0.90	50.0-51.0	759.37	4505.78	1.89	11.24
6.0-7.0	129.97	491.90	0.32	1.23	51.0-52.0	760.13	5265.91	1.90	13.14
7.0-8.0	149.54	641.44	0.37	1.60	52.0-53.0	759.63	6025.55	1.90	15.03
8.0-9.0	168.97	810.40	0.42	2.02	53.0-54.0	757.77	6783.31	1.89	16.92
9.0-10.0	188.26	998.67	0.47	2.49	54.0-55.0	754.56	7537.87	1.88	18.80
10.0-11.0	207.42	1206.09	0.52	3.01	55.0-56.0	749.65	8287.53	1.87	20.67
11.0-12.0	226.42	1432.51	0.56	3.57	56.0-57.0	742.74	9030.27	1.85	22.53
12.0-13.0	245.29	1677.80	0.61	4.19	57.0-58.0	733.72	9763.99	1.83	24.36
13.0-14.0	264.06	1941.86	0.66	4.84	58.0-59.0	722.55	10486.54	1.80	26.16
14.0-15.0	282.75	2224.61	0.71	5.55	59.0-60.0	709.69	11196.23	1.77	27.93
15.0-16.0	301.37	2525.98	0.75	6.30	60.0-61.0	695.28	11891.52	1.73	29.67
16.0-17.0	319.94	2845.92	0.80	7.10	61.0-62.0	679.47	12570.99	1.70	31.36
17.0-18.0	338.45	3184.37	0.84	7.94	62.0-63.0	662.53	13233.52	1.65	33.01
18.0-19.0	356.91	3541.28	0.89	8.83	63.0-64.0	644.83	13878.35	1.61	34.62
19.0-20.0	375.36	3916.64	0.94	9.77	64.0-65.0	626.18	14504.52	1.56	36.18
20.0-21.0	393.76	4310.40	0.98	10.75	65.0-66.0	606.65	15111.17	1.51	37.70
21.0-22.0	412.09	4722.50	1.03	11.78	66.0-67.0	588.06	15699.24	1.47	39.17
22.0-23.0	430.31	5152.81	1.07	12.85	67.0-68.0	570.64	16269.88	1.42	40.59
23.0-24.0	448.35	5601.17	1.12	13.97	68.0-69.0	552.90	16822.78	1.38	41.97
24.0-25.0	466.23	6067.40	1.16	15.14	69.0-70.0	534.64	17357.42	1.33	43.30
25.0-26.0	483.87	6551.26	1.21	16.34	70.0-71.0	515.29	17872.71	1.29	44.59
26.0-27.0	501.16	7052.42	1.25	17.59	71.0-72.0	494.51	18367.22	1.23	45.82
27.0-28.0	518.20	7570.62	1.29	18.89	72.0-73.0	470.80	18838.02	1.17	47.00
28.0-29.0	534.99	8105.61	1.33	20.22	73.0-74.0	442.79	19280.81	1.10	48.10
29.0-30.0	551.37	8656.98	1.38	21.60	74.0-75.0	409.34	19690.15	1.02	49.12
30.0-31.0	567.38	9224.35	1.42	23.01	75.0-76.0	368.31	20058.46	0.92	50.04
31.0-32.0	582.98	9807.33	1.45	24.47	76.0-77.0	321.61	20380.07	0.80	50.84
32.0-33.0	598.04	10405.38	1.49	25.96	77.0-78.0	273.76	20653.83	0.68	51.53
33.0-34.0	612.62	11018.00	1.53	27.49	78.0-79.0	225.96	20879.79	0.56	52.09
34.0-35.0	626.70	11644.70	1.56	29.05	79.0-80.0	176.21	21056.00	0.44	52.53
35.0-36.0	640.24	12284.94	1.60	30.65	80.0-81.0	131.02	21187.02	0.33	52.86
36.0-37.0	653.19	12938.13	1.63	32.28	81.0-82.0	96.67	21283.69	0.24	53.10
37.0-38.0	665.41	13603.54	1.66	33.94	82.0-83.0	69.03	21352.72	0.17	53.27
38.0-39.0	676.85	14280.39	1.69	35.63	83.0-84.0	44.99	21397.71	0.11	53.38
39.0-40.0	687.64	14968.03	1.72	37.34	84.0-85.0	25.20	21422.91	0.06	53.44
40.0-41.0	697.90	15665.94	1.74	39.08	85.0-86.0	11.68	21434.59	0.03	53.47
41.0-42.0	707.60	16373.53	1.77	40.85	86.0-87.0	4.54	21439.13	0.01	53.48
42.0-43.0	716.61	17090.14	1.79	42.63	87.0-88.0	1.84	21440.97	0.00	53.49
43.0-44.0	724.88	17815.02	1.81	44.44	88.0-89.0	1.17	21442.14	0.00	53.49
44.0-45.0	732.47	18547.49	1.83	46.27	89.0-90.0	0.87	21443.01	0.00	53.49

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Zonal Flux Tabulation - (Cont.)


Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
90.0-91.0	0.78	0.78	0.00	0.00	135.0-136.0	1.44	1.44	0.00	0.00
91.0-92.0	0.77	1.55	0.00	0.00	136.0-137.0	1.41	2.85	0.00	0.01
92.0-93.0	0.77	2.33	0.00	0.01	137.0-138.0	1.38	4.23	0.00	0.01
93.0-94.0	0.78	3.11	0.00	0.01	138.0-139.0	1.35	5.58	0.00	0.01
94.0-95.0	0.80	3.91	0.00	0.01	139.0-140.0	1.32	6.89	0.00	0.02
95.0-96.0	0.82	4.73	0.00	0.01	140.0-141.0	1.29	8.19	0.00	0.02
96.0-97.0	0.85	5.58	0.00	0.01	141.0-142.0	1.26	9.45	0.00	0.02
97.0-98.0	0.88	6.46	0.00	0.02	142.0-143.0	1.22	10.68	0.00	0.03
98.0-99.0	0.92	7.38	0.00	0.02	143.0-144.0	1.18	11.85	0.00	0.03
99.0-100.0	0.95	8.33	0.00	0.02	144.0-145.0	1.13	12.99	0.00	0.03
100.0-101.0	0.99	9.32	0.00	0.02	145.0-146.0	1.12	14.10	0.00	0.04
101.0-102.0	1.04	10.35	0.00	0.03	146.0-147.0	1.11	15.21	0.00	0.04
102.0-103.0	1.08	11.43	0.00	0.03	147.0-148.0	1.10	16.31	0.00	0.04
103.0-104.0	1.13	12.57	0.00	0.03	148.0-149.0	1.09	17.40	0.00	0.04
104.0-105.0	1.19	13.76	0.00	0.03	149.0-150.0	1.07	18.46	0.00	0.05
105.0-106.0	1.25	15.00	0.00	0.04	150.0-151.0	1.04	19.50	0.00	0.05
106.0-107.0	1.30	16.30	0.00	0.04	151.0-152.0	1.00	20.50	0.00	0.05
107.0-108.0	1.35	17.65	0.00	0.04	152.0-153.0	0.96	21.47	0.00	0.05
108.0-109.0	1.39	19.05	0.00	0.05	153.0-154.0	0.93	22.40	0.00	0.06
109.0-110.0	1.44	20.49	0.00	0.05	154.0-155.0	0.89	23.29	0.00	0.06
110.0-111.0	1.48	21.97	0.00	0.05	155.0-156.0	0.85	24.14	0.00	0.06
111.0-112.0	1.51	23.47	0.00	0.06	156.0-157.0	0.82	24.96	0.00	0.06
112.0-113.0	1.53	25.00	0.00	0.06	157.0-158.0	0.78	25.74	0.00	0.06
113.0-114.0	1.54	26.54	0.00	0.07	158.0-159.0	0.75	26.49	0.00	0.07
114.0-115.0	1.54	28.08	0.00	0.07	159.0-160.0	0.71	27.20	0.00	0.07
115.0-116.0	1.54	29.62	0.00	0.07	160.0-161.0	0.68	27.88	0.00	0.07
116.0-117.0	1.53	31.15	0.00	0.08	161.0-162.0	0.65	28.53	0.00	0.07
117.0-118.0	1.53	32.68	0.00	0.08	162.0-163.0	0.61	29.14	0.00	0.07
118.0-119.0	1.54	34.22	0.00	0.09	163.0-164.0	0.58	29.72	0.00	0.07
119.0-120.0	1.57	35.79	0.00	0.09	164.0-165.0	0.55	30.27	0.00	0.08
120.0-121.0	1.60	37.39	0.00	0.09	165.0-166.0	0.51	30.78	0.00	0.08
121.0-122.0	1.62	39.01	0.00	0.10	166.0-167.0	0.49	31.27	0.00	0.08
122.0-123.0	1.63	40.64	0.00	0.10	167.0-168.0	0.47	31.74	0.00	0.08
123.0-124.0	1.63	42.28	0.00	0.11	168.0-169.0	0.46	32.20	0.00	0.08
124.0-125.0	1.63	43.91	0.00	0.11	169.0-170.0	0.44	32.64	0.00	0.08
125.0-126.0	1.63	45.54	0.00	0.11	170.0-171.0	0.41	33.05	0.00	0.08
126.0-127.0	1.62	47.16	0.00	0.12	171.0-172.0	0.37	33.43	0.00	0.08
127.0-128.0	1.61	48.77	0.00	0.12	172.0-173.0	0.33	33.76	0.00	0.08
128.0-129.0	1.59	50.36	0.00	0.13	173.0-174.0	0.29	34.05	0.00	0.08
129.0-130.0	1.57	51.93	0.00	0.13	174.0-175.0	0.25	34.30	0.00	0.09
130.0-131.0	1.55	53.48	0.00	0.13	175.0-176.0	0.20	34.50	0.00	0.09
131.0-132.0	1.52	55.00	0.00	0.14	176.0-177.0	0.16	34.66	0.00	0.09
132.0-133.0	1.50	56.50	0.00	0.14	177.0-178.0	0.11	34.77	0.00	0.09
133.0-134.0	1.48	57.97	0.00	0.14	178.0-179.0	0.07	34.84	0.00	0.09
134.0-135.0	1.46	59.43	0.00	0.15	179.0-180.0	0.02	34.86	0.00	0.09

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Rectangle ISO Lighting Intensity Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12




IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Round ISO Lighting Intensity Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12




IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Plane ISO-Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

Plane ISO-Illuminance Curve



Working Plane Luminaire Mounting Height(m): 3.00
 Working Plane Maximum Illuminance(lx): 1095.43
 Working Plane Maximum Illuminance Position(d/h):H0.0 V0.2


IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

3D Plane ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

3D Plane Illuminance Modal



Curves: 3D Model — 90% — 80% — 70% — 60% — 50% — 40% — 30% — 20% — 10% —
View Angles(deg): 0 Height(m): 3.0 Distance(m): 10.0


IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Space ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

Space ISO Illuminance Curve



Curves:

[Unit: lx]

[EMax] =11337.303

— [EMax*90%]=10203.572

— [EMax*80%]=9069.842

— [EMax*70%]=7936.112

— [EMax*60%]=6802.382

— [EMax*50%]=5668.651

— [EMax*40%]=4534.921

— [EMax*30%]=3401.191

— [EMax*20%]=2267.461

— [EMax*10%]=1133.730

Space Plane Maximum Illuminance and @Angle:11337.30lx,10.0deg

Plane Maximum Lighting Intensity and @Angle:13180.012cd,0deg


IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Illuminance-Distance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12

Illuminance-Distance Curve




IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Road Coefficient of Utilization Curves

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 300W-HV	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 11:14:12



Tilt Angles: Ang1(deg): 0 Ang2(deg): 5

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 0.0	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7	10553.7
γ 1.0	10712.5	10699.7	10665.8	10619.8	10559.9	10497.9	10436.7	10396.7	10385.0	10401.6	10432.6	10485.6
γ 2.0	10861.9	10850.5	10776.4	10678.6	10563.1	10435.1	10316.4	10236.4	10205.4	10237.8	10304.0	10420.1
γ 3.0	11000.4	10995.8	10890.5	10736.9	10566.9	10367.7	10196.3	10071.3	10019.7	10073.2	10169.0	10348.5
γ 4.0	11137.4	11137.4	11001.9	10797.2	10570.0	10295.3	10069.6	9898.4	9825.3	9894.5	10031.3	10273.7
γ 5.0	11269.2	11264.2	11113.0	10858.1	10571.1	10219.2	9939.6	9719.8	9633.3	9721.1	9890.7	10192.6
γ 6.0	11401.8	11385.7	11214.1	10916.0	10564.0	10142.1	9805.8	9543.2	9446.3	9539.8	9751.5	10113.3
γ 7.0	11530.2	11503.2	11306.8	10972.7	10554.1	10061.5	9672.9	9375.3	9258.1	9359.3	9606.6	10027.2
γ 8.0	11650.9	11625.5	11399.9	11030.2	10547.7	9979.2	9535.6	9197.7	9072.8	9176.7	9465.6	9941.3
γ 9.0	11764.3	11746.8	11499.6	11089.3	10545.8	9899.2	9398.9	9014.1	8872.0	8991.8	9323.0	9863.6
γ 10.0	11870.1	11863.6	11596.3	11155.5	10542.7	9823.7	9270.1	8830.9	8663.6	8807.4	9189.0	9791.9
γ 11.0	11969.3	11970.9	11692.8	11225.5	10542.1	9752.8	9140.8	8649.7	8446.1	8618.5	9058.1	9720.4
γ 12.0	12070.3	12067.1	11782.9	11299.8	10545.6	9690.3	9012.7	8460.6	8238.3	8426.4	8927.7	9655.8
γ 13.0	12163.4	12158.8	11873.7	11372.8	10558.9	9633.8	8882.0	8272.5	8044.6	8242.9	8791.8	9591.5
γ 14.0	12254.0	12252.0	11966.4	11443.7	10585.3	9590.5	8749.7	8089.9	7852.6	8065.5	8650.4	9532.7
γ 15.0	12342.0	12339.4	12056.0	11514.6	10628.5	9546.7	8619.4	7921.8	7674.6	7891.0	8512.9	9478.1
γ 16.0	12435.3	12420.9	12140.4	11592.0	10678.6	9507.7	8487.0	7769.9	7507.9	7724.4	8375.2	9423.8
γ 17.0	12528.6	12497.2	12229.7	11669.7	10729.5	9476.6	8360.2	7623.4	7362.2	7564.6	8241.5	9373.4
γ 18.0	12614.4	12568.5	12310.8	11751.4	10790.1	9457.9	8242.0	7480.2	7219.2	7413.3	8109.4	9329.4
γ 19.0	12693.6	12642.5	12384.4	11833.5	10854.9	9445.1	8131.6	7347.4	7090.1	7273.2	7981.8	9291.9
γ 20.0	12767.3	12712.5	12459.0	11921.6	10927.2	9431.4	8025.6	7225.1	6959.8	7143.9	7855.4	9258.0
γ 21.0	12847.2	12776.6	12532.8	12008.7	11000.7	9412.1	7926.1	7099.1	6832.6	7017.4	7737.4	9226.0
γ 22.0	12923.7	12839.0	12606.5	12099.7	11079.2	9394.3	7832.6	6981.2	6703.1	6897.6	7638.8	9192.6
γ 23.0	12979.8	12899.8	12678.6	12193.9	11158.1	9377.3	7741.5	6868.3	6568.4	6782.6	7544.8	9157.9
γ 24.0	13039.3	12958.2	12739.2	12290.1	11245.4	9351.7	7640.9	6749.8	6437.3	6664.1	7454.2	9123.4
γ 25.0	13103.3	13011.7	12805.6	12390.8	11335.9	9324.3	7551.1	6625.0	6316.1	6541.3	7358.2	9083.2
γ 26.0	13143.5	13048.6	12865.5	12484.7	11412.5	9295.4	7456.3	6495.2	6205.2	6424.1	7269.0	9045.2
γ 27.0	13167.8	13070.4	12912.7	12566.1	11492.2	9269.1	7363.6	6373.1	6095.0	6302.3	7178.2	9008.7
γ 28.0	13180.0	13093.1	12961.2	12648.2	11567.8	9243.5	7285.9	6253.0	5981.0	6185.5	7085.8	8969.6
γ 29.0	13174.0	13109.5	12999.8	12720.3	11637.1	9212.7	7213.8	6137.3	5872.1	6075.2	6996.8	8932.1
γ 30.0	13146.2	13109.0	13038.2	12796.5	11714.1	9176.4	7140.5	6022.8	5764.4	5966.6	6910.6	8891.4
γ 31.0	13112.0	13092.5	13070.3	12870.4	11786.5	9135.5	7070.2	5921.5	5659.0	5862.7	6830.1	8841.4
γ 32.0	13056.3	13068.0	13088.1	12937.6	11851.5	9090.1	6998.2	5822.2	5556.3	5763.0	6750.6	8792.1
γ 33.0	12984.2	13031.4	13107.0	12999.4	11917.2	9043.1	6920.7	5726.0	5455.7	5664.8	6672.4	8739.6
γ 34.0	12888.5	12979.0	13130.1	13051.0	11984.2	9004.2	6843.0	5632.2	5353.4	5565.8	6598.5	8684.7
γ 35.0	12794.3	12908.5	13152.8	13096.9	12041.8	8968.6	6772.7	5528.3	5244.3	5478.5	6527.3	8628.2
γ 36.0	12687.7	12825.0	13167.6	13142.4	12092.8	8930.0	6701.2	5430.6	5128.4	5384.3	6459.3	8573.3
γ 37.0	12568.1	12719.1	13171.5	13192.9	12144.6	8883.6	6634.0	5330.2	5007.6	5286.0	6385.0	8523.2
γ 38.0	12423.3	12613.4	13159.8	13239.4	12181.9	8827.2	6562.1	5229.4	4886.0	5181.7	6314.8	8475.4
γ 39.0	12264.2	12496.2	13137.5	13266.5	12217.9	8778.4	6489.7	5128.7	4763.4	5063.9	6237.2	8427.8
γ 40.0	12085.9	12374.7	13112.0	13289.5	12263.5	8736.3	6408.0	5020.0	4645.7	4946.4	6163.6	8390.1
γ 41.0	11903.4	12239.5	13082.9	13308.4	12306.9	8708.0	6324.5	4910.1	4532.6	4827.4	6085.2	8357.0
γ 42.0	11702.6	12105.3	13048.1	13325.6	12347.2	8686.0	6251.9	4795.1	4424.7	4712.0	5997.0	8332.5
γ 43.0	11482.8	11954.3	13005.0	13329.0	12371.6	8658.4	6180.6	4682.5	4318.8	4600.3	5907.3	8314.0
γ 44.0	11252.2	11785.8	12956.3	13329.1	12397.8	8628.3	6112.3	4574.3	4209.3	4494.2	5830.6	8281.1

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 45.0	10998.6	11619.5	12899.0	13321.5	12416.3	8599.1	6036.7	4473.2	4105.6	4394.8	5757.8	8243.0
γ 46.0	10717.4	11419.3	12828.2	13308.8	12431.8	8574.8	5960.8	4371.9	4002.9	4301.0	5676.6	8205.7
γ 47.0	10421.6	11206.1	12748.8	13288.0	12445.2	8551.6	5887.5	4273.0	3905.1	4207.0	5591.2	8170.1
γ 48.0	10105.8	10965.5	12665.7	13273.2	12447.7	8532.0	5810.7	4175.8	3813.6	4114.9	5505.1	8137.8
γ 49.0	9777.4	10699.2	12571.9	13256.4	12449.5	8516.9	5725.3	4078.6	3716.4	4013.8	5413.4	8101.8
γ 50.0	9418.5	10417.8	12461.7	13249.9	12449.9	8496.6	5634.5	3981.8	3615.4	3913.7	5322.9	8067.4
γ 51.0	9033.0	10112.8	12347.7	13238.9	12438.6	8462.4	5547.8	3897.5	3516.6	3812.7	5230.6	8031.5
γ 52.0	8619.3	9787.4	12200.9	13218.1	12423.8	8429.5	5473.0	3812.8	3417.9	3715.7	5138.6	7991.9
γ 53.0	8189.7	9425.3	12047.8	13177.6	12404.4	8395.1	5394.6	3724.4	3319.2	3624.8	5047.4	7952.9
γ 54.0	7723.8	9060.7	11874.5	13112.2	12380.6	8361.6	5313.7	3633.9	3219.1	3532.8	4957.6	7923.9
γ 55.0	7209.4	8668.6	11662.0	13037.5	12348.3	8337.3	5232.2	3539.0	3123.5	3440.7	4882.2	7887.4
γ 56.0	6579.4	8249.3	11427.8	12937.9	12303.7	8315.8	5147.1	3444.2	3027.0	3348.6	4800.4	7842.6
γ 57.0	5843.1	7783.5	11195.6	12835.9	12256.1	8287.3	5053.4	3349.4	2941.7	3256.4	4716.6	7792.9
γ 58.0	4998.3	7247.5	10939.0	12731.9	12219.8	8266.0	4954.8	3259.7	2861.8	3170.6	4619.8	7745.7
γ 59.0	4186.4	6633.6	10646.7	12608.7	12196.2	8239.6	4855.7	3176.5	2753.6	3098.2	4516.2	7704.5
γ 60.0	3493.7	5966.6	10326.9	12466.9	12183.0	8214.5	4752.9	3098.6	2576.3	3032.5	4419.2	7661.3
γ 61.0	2909.2	5267.2	9984.3	12312.7	12172.1	8200.1	4647.3	3019.6	2296.7	2954.1	4314.9	7624.5
γ 62.0	2363.6	4575.7	9621.7	12144.1	12143.3	8180.1	4552.2	2938.1	1972.4	2850.0	4219.4	7598.4
γ 63.0	1775.9	3895.0	9230.9	11974.6	12090.9	8159.5	4462.4	2824.4	1714.7	2709.6	4128.8	7566.8
γ 64.0	1348.3	3217.7	8814.7	11797.0	12029.5	8137.6	4369.0	2669.5	1529.6	2513.9	4034.0	7528.5
γ 65.0	923.6	2575.3	8353.8	11624.6	11975.2	8112.6	4279.4	2456.4	1381.2	2238.4	3936.5	7480.8
γ 66.0	718.6	2029.0	7865.3	11449.2	11904.8	8080.1	4182.6	2163.2	1168.1	1972.3	3835.0	7431.5
γ 67.0	591.8	1670.9	7333.6	11239.8	11848.0	8054.1	4088.1	1898.8	964.1	1744.5	3736.0	7387.7
γ 68.0	528.1	1316.0	6734.4	11012.3	11796.1	8037.3	3980.5	1696.6	865.8	1547.4	3614.7	7345.4
γ 69.0	492.8	961.1	6120.4	10778.1	11714.6	8023.1	3868.1	1502.4	792.1	1373.6	3493.4	7215.7
γ 70.0	463.4	728.5	5445.9	10515.2	11540.2	8009.1	3741.5	1320.1	712.5	1218.1	3370.4	7097.5
γ 71.0	439.7	563.4	4780.9	10222.1	11214.3	7972.3	3546.9	1155.4	637.0	1061.6	3184.1	7060.9
γ 72.0	419.8	469.0	4223.4	9905.6	10682.0	7867.5	3352.3	990.3	574.3	890.0	2996.2	7119.6
γ 73.0	405.6	420.4	3717.1	9518.6	9875.2	7720.2	3157.9	806.6	521.9	737.6	2831.0	7164.8
γ 74.0	388.1	391.1	3226.2	9008.3	8892.9	7556.4	3034.0	677.0	471.8	663.1	2661.5	7126.5
γ 75.0	352.0	369.6	2741.4	8444.5	7606.4	7394.1	2903.9	607.7	414.8	596.0	2514.9	6914.6
γ 76.0	317.7	349.2	2239.7	7567.9	6225.6	7026.5	2751.0	552.2	363.0	525.0	2320.1	6358.0
γ 77.0	291.1	321.8	1760.2	6406.6	5078.5	6270.5	2449.7	483.4	317.5	449.7	2032.4	5907.2
γ 78.0	265.2	291.0	1240.4	5326.1	4167.5	5576.7	2039.0	410.1	279.4	382.6	1754.9	5363.1
γ 79.0	238.9	263.1	719.9	4410.1	3256.5	5060.2	1625.0	366.7	243.1	339.1	1421.8	4364.7
γ 80.0	213.5	231.8	376.8	3436.2	2348.7	4021.0	1103.3	330.1	207.7	299.3	957.0	3366.2
γ 81.0	185.4	194.3	245.7	2651.5	1565.4	2981.8	761.7	290.5	172.0	257.7	647.5	2369.2
γ 82.0	148.1	159.0	181.9	2085.3	1066.7	1956.0	538.5	250.2	139.4	219.1	454.8	1832.6
γ 83.0	115.3	126.9	139.1	1528.2	658.6	1438.2	324.4	211.5	111.2	177.5	312.1	1148.0
γ 84.0	81.2	97.9	101.2	971.3	347.9	836.0	211.6	166.2	86.7	140.4	204.5	537.6
γ 85.0	47.6	61.9	68.8	414.3	117.9	421.0	136.5	119.9	63.4	105.9	120.7	262.9
γ 86.0	14.2	30.0	40.7	135.6	49.1	138.3	78.4	82.5	39.0	70.4	73.9	72.9
γ 87.0	4.7	6.7	18.0	33.0	26.8	27.8	30.7	25.8	9.7	26.1	27.1	25.4
γ 88.0	2.4	3.6	9.5	23.2	22.3	22.3	11.9	7.0	5.9	7.3	11.7	20.9
γ 89.0	0.3	0.9	5.5	17.5	16.6	15.5	6.3	3.0	3.3	4.9	7.3	15.3

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 90.0	0.2	0.6	4.8	15.8	15.2	13.5	4.4	0.3	0.0	1.2	5.6	14.8
γ 91.0	0.1	0.6	4.7	14.9	15.1	13.3	4.4	0.1	0.0	0.9	5.6	14.8
γ 92.0	0.1	0.6	4.7	14.6	15.2	13.3	4.4	0.1	0.0	0.9	5.8	14.8
γ 93.0	0.0	0.5	4.7	14.4	15.3	13.6	4.7	0.1	0.0	0.9	5.9	15.0
γ 94.0	0.0	0.5	5.0	14.3	15.5	14.0	5.1	0.2	0.0	0.9	6.2	15.3
γ 95.0	0.0	0.5	5.2	14.3	16.0	14.3	5.5	0.2	0.0	0.9	6.6	15.7
γ 96.0	0.0	0.9	5.3	14.3	16.6	15.0	6.0	0.3	0.0	0.9	7.2	16.1
γ 97.0	0.1	1.1	5.5	14.2	17.3	15.2	6.6	0.5	0.0	1.1	7.8	16.6
γ 98.0	0.3	1.5	6.0	14.3	17.8	15.8	7.4	0.7	0.0	1.2	8.4	17.0
γ 99.0	0.5	1.9	6.4	14.2	18.2	16.2	8.2	1.1	0.0	1.5	9.0	17.3
γ 100.0	0.7	2.2	6.8	14.3	18.7	16.6	8.7	1.4	0.2	1.8	9.6	17.9
γ 101.0	1.0	2.6	7.0	14.7	19.3	17.1	9.4	1.8	0.3	2.2	10.3	18.3
γ 102.0	1.3	2.8	7.3	15.0	19.8	17.8	9.8	2.5	0.6	2.8	11.0	18.9
γ 103.0	1.6	3.2	7.5	15.6	20.2	18.2	10.5	2.9	0.8	3.4	11.7	19.4
γ 104.0	2.2	3.6	8.0	16.2	21.0	18.7	11.4	3.5	1.3	4.1	12.5	20.2
γ 105.0	2.4	4.0	8.6	16.5	21.5	19.1	12.1	4.3	1.8	4.7	13.1	20.8
γ 106.0	2.8	4.5	9.1	17.3	22.1	19.7	12.9	4.9	2.4	5.6	13.7	21.9
γ 107.0	3.1	4.9	9.6	17.7	22.6	20.1	13.5	5.6	3.0	6.3	14.1	22.5
γ 108.0	3.4	5.1	9.9	18.4	22.7	20.5	13.7	6.6	3.6	7.0	14.5	23.5
γ 109.0	4.0	5.4	10.1	19.2	23.4	21.3	13.9	7.2	4.5	7.8	14.9	24.4
γ 110.0	4.4	5.6	10.4	19.7	23.8	22.1	14.1	8.1	5.2	8.6	15.2	25.3
γ 111.0	4.7	6.0	10.7	20.2	23.9	22.6	14.3	8.7	6.0	9.3	15.7	25.9
γ 112.0	5.1	6.0	11.0	20.5	23.9	23.3	14.6	9.2	6.8	10.0	16.1	26.2
γ 113.0	5.2	6.1	11.3	20.9	23.9	23.7	14.7	9.1	7.4	10.5	16.5	26.2
γ 114.0	5.5	6.2	11.7	21.0	23.9	23.9	15.0	9.1	8.2	10.5	16.9	26.2
γ 115.0	5.9	6.2	11.9	21.1	23.9	23.9	15.6	8.7	9.1	10.1	17.6	25.9
γ 116.0	6.2	5.8	12.2	21.1	23.8	23.9	15.9	8.1	9.8	9.4	18.0	25.5
γ 117.0	6.3	5.5	12.4	21.2	23.7	23.9	16.5	8.1	10.1	9.3	18.6	25.4
γ 118.0	6.4	5.4	12.7	21.2	23.4	23.9	17.5	8.6	10.1	9.6	19.4	25.4
γ 119.0	6.1	6.6	13.0	21.2	23.2	23.9	18.0	10.1	10.1	10.8	20.2	25.3
γ 120.0	6.1	7.8	13.0	21.2	22.9	23.9	18.4	12.2	10.4	12.8	20.5	25.3
γ 121.0	7.2	8.7	13.1	21.2	22.9	23.7	18.4	13.5	12.1	15.0	20.7	25.3
γ 122.0	8.9	9.8	13.1	21.2	22.7	23.7	18.1	14.3	14.0	15.8	20.7	25.3
γ 123.0	10.3	10.2	13.1	21.0	22.2	23.6	17.7	14.8	15.7	16.6	20.7	25.3
γ 124.0	10.6	10.8	13.1	21.0	21.8	23.6	17.7	15.3	16.8	17.3	20.7	25.4
γ 125.0	10.8	11.2	13.1	21.0	21.8	23.6	17.7	16.2	17.3	18.0	20.8	25.8
γ 126.0	11.1	11.5	13.1	21.0	21.8	23.6	17.7	16.8	17.8	18.7	21.2	25.8
γ 127.0	11.4	11.6	13.1	21.2	22.1	23.3	17.7	17.3	18.3	19.3	21.5	25.8
γ 128.0	11.8	11.9	13.1	20.8	22.1	22.7	17.7	18.0	19.0	20.1	21.8	25.4
γ 129.0	12.0	12.3	13.1	20.1	22.1	21.7	17.7	18.6	19.8	20.8	22.1	24.7
γ 130.0	12.6	12.5	13.2	19.4	22.0	21.1	17.7	19.2	20.7	21.7	22.0	24.3
γ 131.0	12.8	12.7	13.3	18.4	21.8	20.7	17.7	20.1	21.4	22.4	22.0	24.1
γ 132.0	12.8	13.1	13.3	18.0	21.5	20.1	17.6	20.7	22.1	23.1	21.9	24.1
γ 133.0	13.6	13.4	13.4	17.9	21.3	19.8	17.6	21.2	22.8	23.6	21.6	23.9
γ 134.0	14.8	13.6	13.4	17.8	21.0	19.5	17.5	21.6	23.5	23.6	21.0	23.7

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 135.0	16.4	14.1	13.5	17.8	20.9	19.6	17.3	21.9	24.3	23.3	20.4	23.7
γ 136.0	17.7	14.5	13.3	17.7	20.9	19.7	16.6	21.9	24.8	23.1	19.6	23.7
γ 137.0	19.1	14.5	13.0	17.7	20.4	20.0	15.8	22.1	25.3	23.1	18.6	23.9
γ 138.0	18.6	15.0	12.5	17.7	20.1	20.5	15.3	22.1	26.1	23.0	17.7	24.3
γ 139.0	18.5	15.4	12.0	17.7	20.1	20.4	14.8	22.1	26.5	23.0	16.6	24.9
γ 140.0	19.3	15.5	11.6	17.6	20.1	20.4	14.7	22.1	26.6	22.8	16.3	24.8
γ 141.0	22.1	15.8	11.2	17.2	20.1	20.4	14.6	21.9	26.8	22.9	16.3	24.8
γ 142.0	22.2	15.9	11.0	16.9	20.0	20.3	14.6	21.3	26.9	22.1	16.4	24.6
γ 143.0	21.8	16.0	10.9	16.4	20.0	19.8	14.8	21.2	26.0	22.1	16.5	24.1
γ 144.0	20.4	16.0	11.0	16.2	20.0	19.4	15.1	21.3	21.0	22.1	16.9	23.9
γ 145.0	18.9	15.9	11.1	16.0	20.0	19.4	16.0	21.3	21.1	22.1	17.3	23.4
γ 146.0	19.7	16.6	11.7	16.0	20.0	19.4	16.8	21.6	22.7	22.4	17.9	23.3
γ 147.0	20.1	16.5	12.2	16.1	20.0	19.5	17.8	21.6	23.9	22.9	18.9	23.1
γ 148.0	21.8	16.5	12.7	16.0	20.0	19.6	18.4	21.5	25.2	22.8	20.2	23.0
γ 149.0	21.9	16.6	13.3	16.0	20.0	19.5	19.3	21.1	26.4	22.8	21.6	22.9
γ 150.0	21.9	17.0	14.0	16.0	19.8	19.5	20.0	20.8	26.0	22.7	22.7	22.6
γ 151.0	21.9	17.0	14.7	16.0	19.5	19.5	20.2	20.4	25.4	22.8	22.9	22.0
γ 152.0	21.1	17.0	15.5	16.1	19.1	19.5	20.2	20.0	24.7	22.8	22.8	21.1
γ 153.0	20.5	17.3	15.9	16.2	18.7	19.5	20.3	19.7	23.8	23.4	22.5	21.2
γ 154.0	20.3	17.5	16.2	16.5	18.2	19.5	20.1	19.7	23.4	23.1	22.4	21.2
γ 155.0	20.1	17.7	16.8	17.0	17.5	19.5	19.6	19.7	22.3	22.2	22.2	21.1
γ 156.0	19.9	18.0	16.8	17.2	17.2	19.5	19.3	19.7	21.5	21.7	21.6	21.0
γ 157.0	19.8	18.3	17.0	17.4	16.8	19.6	19.2	19.8	21.4	21.8	21.2	21.0
γ 158.0	20.0	18.5	17.0	17.4	16.8	19.3	18.9	20.0	21.0	21.3	20.9	21.0
γ 159.0	20.2	18.8	17.0	17.2	17.1	19.1	18.4	19.9	20.7	21.1	20.5	21.0
γ 160.0	20.1	19.0	17.1	17.0	17.6	18.8	18.3	19.9	20.1	20.7	20.2	21.0
γ 161.0	20.1	19.0	17.3	16.8	18.2	18.2	18.3	20.0	20.0	20.6	20.1	21.1
γ 162.0	20.1	19.0	17.4	16.7	18.4	17.7	18.2	19.8	19.7	20.1	20.0	21.3
γ 163.0	19.6	19.1	17.4	16.7	18.7	17.5	18.2	19.8	19.5	20.0	19.5	21.8
γ 164.0	19.5	19.3	17.5	16.7	18.7	17.6	18.2	19.9	19.4	19.9	19.3	22.3
γ 165.0	19.5	19.2	17.6	16.7	18.7	17.9	18.3	19.9	19.1	19.6	18.9	22.5
γ 166.0	19.4	19.2	17.9	16.7	18.8	18.5	18.4	20.0	19.2	19.6	18.8	22.7
γ 167.0	19.3	19.6	18.8	17.0	19.6	19.7	18.7	20.9	20.2	20.2	19.7	23.4
γ 168.0	19.1	20.4	20.1	17.7	20.0	20.3	19.6	23.0	23.2	23.0	22.4	24.6
γ 169.0	19.1	21.1	20.9	18.2	20.4	20.6	20.3	24.7	25.2	25.2	23.8	26.5
γ 170.0	19.9	21.9	21.4	18.8	21.8	22.0	21.0	24.9	26.4	26.1	25.1	26.7
γ 171.0	21.7	22.0	21.9	19.1	22.6	22.7	22.0	24.9	26.8	26.7	25.7	26.6
γ 172.0	23.2	22.4	22.1	19.5	22.8	23.0	22.2	24.9	26.5	26.9	25.6	26.5
γ 173.0	24.0	22.3	22.1	19.5	22.8	23.0	22.3	24.7	26.3	27.0	25.4	26.0
γ 174.0	24.0	22.4	22.3	19.6	22.9	23.0	22.5	24.7	26.2	27.0	25.3	25.9
γ 175.0	24.6	22.6	23.2	20.1	22.9	23.0	22.8	24.6	26.0	27.4	25.3	25.7
γ 176.0	24.7	22.9	23.3	20.4	22.8	22.9	22.9	24.0	25.5	27.0	25.0	25.3
γ 177.0	25.0	22.9	23.5	20.5	22.8	22.7	22.8	23.7	24.8	26.6	24.2	25.0
γ 178.0	25.0	22.9	23.5	20.5	22.1	22.3	22.6	23.1	24.2	26.0	23.5	24.6
γ 179.0	25.0	22.7	23.5	20.5	21.4	21.6	22.0	22.8	23.3	25.3	22.5	23.9

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 180.0	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9
V/H	C270.0	C292.5	C315.0	C337.5								
γ 0.0	10553.7	10553.7	10553.7	10553.7								
γ 1.0	10546.6	10607.8	10664.8	10705.0								
γ 2.0	10535.9	10653.9	10771.3	10846.7								
γ 3.0	10521.8	10700.4	10876.1	10983.9								
γ 4.0	10508.2	10750.7	10981.0	11115.8								
γ 5.0	10491.9	10793.9	11089.9	11242.8								
γ 6.0	10472.8	10842.1	11198.3	11360.4								
γ 7.0	10452.6	10892.2	11299.9	11463.9								
γ 8.0	10438.1	10942.2	11399.3	11570.4								
γ 9.0	10423.5	10995.5	11498.4	11679.7								
γ 10.0	10417.8	11049.0	11591.0	11788.5								
γ 11.0	10422.8	11110.4	11680.3	11882.1								
γ 12.0	10436.1	11171.0	11766.4	11969.9								
γ 13.0	10453.9	11232.5	11847.4	12065.6								
γ 14.0	10477.3	11294.8	11923.1	12166.7								
γ 15.0	10502.0	11356.0	12003.7	12257.1								
γ 16.0	10534.4	11415.0	12082.1	12338.1								
γ 17.0	10569.8	11480.4	12156.9	12420.2								
γ 18.0	10608.7	11545.8	12223.2	12490.7								
γ 19.0	10656.2	11615.0	12285.6	12551.1								
γ 20.0	10706.1	11688.9	12353.3	12619.5								
γ 21.0	10760.7	11762.7	12422.8	12682.6								
γ 22.0	10827.4	11832.0	12482.8	12734.0								
γ 23.0	10894.1	11899.6	12537.8	12782.0								
γ 24.0	10961.3	11971.6	12584.8	12832.6								
γ 25.0	11032.9	12040.9	12632.5	12877.6								
γ 26.0	11107.0	12104.6	12674.7	12911.6								
γ 27.0	11186.0	12175.2	12711.1	12936.4								
γ 28.0	11257.0	12249.1	12751.4	12966.5								
γ 29.0	11331.3	12319.9	12787.3	12976.1								
γ 30.0	11391.1	12394.3	12810.9	12969.9								
γ 31.0	11462.9	12463.0	12835.2	12957.8								
γ 32.0	11532.2	12527.0	12849.7	12932.2								
γ 33.0	11597.0	12577.9	12853.7	12892.7								
γ 34.0	11654.4	12633.4	12865.1	12841.8								
γ 35.0	11702.5	12682.2	12871.0	12765.1								
γ 36.0	11749.5	12726.8	12870.4	12694.5								
γ 37.0	11789.0	12763.1	12874.1	12607.1								
γ 38.0	11824.3	12792.6	12879.8	12493.5								
γ 39.0	11855.2	12830.7	12879.3	12357.5								
γ 40.0	11870.7	12862.1	12870.6	12232.0								
γ 41.0	11883.6	12891.7	12846.3	12101.9								
γ 42.0	11884.9	12918.1	12811.1	11963.8								

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 43.0	11887.4	12934.8	12773.0	11820.1
γ 44.0	11882.6	12938.0	12731.3	11670.6
γ 45.0	11886.2	12940.6	12684.5	11496.9
γ 46.0	11888.1	12944.4	12633.0	11301.2
γ 47.0	11898.0	12950.7	12555.2	11090.5
γ 48.0	11911.2	12950.8	12480.4	10856.4
γ 49.0	11914.1	12945.2	12401.4	10593.1
γ 50.0	11917.2	12927.2	12305.8	10314.5
γ 51.0	11924.2	12895.7	12183.0	10008.2
γ 52.0	11928.0	12860.1	12035.3	9694.6
γ 53.0	11923.1	12813.3	11870.2	9349.2
γ 54.0	11909.7	12750.7	11674.4	8988.7
γ 55.0	11898.6	12680.8	11475.4	8621.2
γ 56.0	11876.2	12600.1	11269.6	8225.2
γ 57.0	11855.6	12516.6	11046.3	7788.0
γ 58.0	11825.7	12407.0	10805.6	7292.4
γ 59.0	11788.2	12280.6	10535.9	6721.3
γ 60.0	11746.0	12153.7	10254.4	6062.9
γ 61.0	11712.1	12016.8	9931.1	5338.9
γ 62.0	11672.0	11871.1	9583.3	4629.9
γ 63.0	11633.3	11717.8	9216.1	3942.6
γ 64.0	11599.3	11548.9	8800.8	3276.2
γ 65.0	11517.2	11376.2	8356.2	2642.4
γ 66.0	11380.1	11176.7	7861.3	2094.8
γ 67.0	11256.4	10928.0	7323.0	1744.1
γ 68.0	11175.3	10639.4	6745.5	1394.1
γ 69.0	11081.3	10383.4	6133.5	1044.0
γ 70.0	10994.5	10152.8	5488.8	785.1
γ 71.0	10769.5	9917.5	4822.5	584.7
γ 72.0	10357.8	9669.9	4244.4	470.4
γ 73.0	9523.2	9320.8	3683.9	414.8
γ 74.0	8423.9	8866.4	3166.5	385.4
γ 75.0	6837.7	8210.1	2747.8	362.7
γ 76.0	5637.3	7117.4	2299.3	344.7
γ 77.0	4641.2	6043.1	1751.0	317.4
γ 78.0	3815.1	4933.4	1174.7	284.0
γ 79.0	2991.5	3830.8	598.3	255.2
γ 80.0	2035.3	2803.2	355.2	224.0
γ 81.0	1524.5	2188.3	233.4	186.8
γ 82.0	1022.3	1692.7	167.8	151.2
γ 83.0	520.1	1198.5	124.1	118.9
γ 84.0	295.2	704.4	87.1	90.5
γ 85.0	75.8	297.7	59.2	54.8
γ 86.0	34.7	76.8	32.3	22.9
γ 87.0	24.2	28.2	14.9	6.1

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 88.0	20.0	21.6	9.6	3.3
γ 89.0	16.5	17.3	6.9	1.1
γ 90.0	15.7	16.2	6.6	0.8
γ 91.0	15.6	15.4	6.2	0.8
γ 92.0	15.6	15.2	6.2	0.8
γ 93.0	16.1	15.1	6.2	0.7
γ 94.0	16.6	15.0	6.1	0.7
γ 95.0	17.4	14.9	6.1	0.7
γ 96.0	18.0	14.8	6.1	1.1
γ 97.0	18.7	14.8	6.1	1.3
γ 98.0	19.5	14.8	6.2	1.5
γ 99.0	20.4	14.8	6.4	1.8
γ 100.0	21.3	14.9	6.6	2.2
γ 101.0	21.9	15.3	6.9	2.4
γ 102.0	22.6	15.5	7.0	2.7
γ 103.0	23.6	16.3	7.3	3.2
γ 104.0	24.4	16.6	7.7	3.4
γ 105.0	25.3	17.3	8.1	3.7
γ 106.0	26.3	18.0	8.5	4.2
γ 107.0	27.1	18.6	8.9	4.6
γ 108.0	27.9	19.2	9.3	4.8
γ 109.0	28.3	20.0	9.6	5.1
γ 110.0	28.9	20.4	9.8	5.5
γ 111.0	29.2	20.8	10.2	5.6
γ 112.0	29.3	21.1	10.6	5.7
γ 113.0	29.6	21.2	10.8	5.9
γ 114.0	29.9	21.3	11.3	6.1
γ 115.0	30.0	21.4	11.5	6.1
γ 116.0	30.2	21.4	11.6	5.7
γ 117.0	30.2	21.4	11.8	5.1
γ 118.0	30.2	21.4	12.1	5.2
γ 119.0	30.2	21.4	12.5	6.9
γ 120.0	30.2	21.1	12.6	8.4
γ 121.0	30.2	21.0	12.6	9.1
γ 122.0	30.2	21.0	12.7	9.6
γ 123.0	29.6	20.9	12.6	9.9
γ 124.0	29.6	20.9	12.6	10.2
γ 125.0	29.2	20.9	12.2	10.6
γ 126.0	29.2	20.9	12.2	10.7
γ 127.0	29.1	20.9	12.0	11.1
γ 128.0	29.0	20.6	12.1	11.1
γ 129.0	28.4	20.1	11.9	11.5
γ 130.0	27.6	19.4	11.9	11.6
γ 131.0	26.7	18.7	11.7	11.8
γ 132.0	25.8	18.3	11.5	12.1

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 133.0	25.3	17.9	11.5	12.4
γ 134.0	24.8	17.5	11.4	12.6
γ 135.0	24.3	17.3	11.2	12.8
γ 136.0	24.2	17.4	11.2	12.9
γ 137.0	23.9	17.3	10.9	13.1
γ 138.0	23.5	17.3	10.8	13.4
γ 139.0	23.1	17.1	10.6	13.6
γ 140.0	22.8	16.8	10.6	13.6
γ 141.0	22.5	16.1	10.7	13.9
γ 142.0	22.2	15.5	10.7	14.5
γ 143.0	22.0	15.1	10.8	14.4
γ 144.0	21.7	14.8	11.2	14.4
γ 145.0	21.3	14.8	11.6	14.5
γ 146.0	20.8	14.7	12.0	15.0
γ 147.0	20.5	14.7	12.5	15.2
γ 148.0	20.3	14.5	13.2	15.1
γ 149.0	20.2	14.4	13.6	15.5
γ 150.0	19.9	14.4	14.3	15.6
γ 151.0	19.6	14.4	15.0	15.9
γ 152.0	19.1	14.4	15.6	16.3
γ 153.0	18.5	14.4	15.9	16.6
γ 154.0	17.8	14.5	16.3	16.9
γ 155.0	17.1	14.5	16.7	17.2
γ 156.0	16.5	14.6	16.8	17.4
γ 157.0	16.3	14.6	16.8	17.6
γ 158.0	16.1	14.6	17.0	17.7
γ 159.0	16.2	14.6	17.1	18.1
γ 160.0	16.7	14.7	17.5	18.2
γ 161.0	17.3	14.7	17.6	18.3
γ 162.0	17.7	14.9	18.0	18.3
γ 163.0	18.0	15.1	18.4	18.4
γ 164.0	18.0	15.4	18.7	18.5
γ 165.0	18.0	15.8	18.8	18.2
γ 166.0	18.0	16.1	19.3	17.4
γ 167.0	19.0	16.7	19.8	17.2
γ 168.0	19.7	17.5	20.9	18.2
γ 169.0	20.1	18.2	21.6	20.1
γ 170.0	20.7	18.5	22.1	21.4
γ 171.0	21.3	19.1	22.5	22.1
γ 172.0	21.7	19.5	22.8	22.2
γ 173.0	21.7	19.8	23.1	22.2
γ 174.0	21.9	20.4	23.1	22.5
γ 175.0	22.3	21.0	23.5	22.7
γ 176.0	22.7	21.8	23.8	22.8
γ 177.0	22.7	21.9	23.9	22.9

IES Road Report

Photometric Filename:300W-HV-480V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 178.0	22.2	22.2	23.8	22.9
γ 179.0	21.8	22.2	23.2	22.9
γ 180.0	24.9	24.9	24.9	24.9
