

Road Luminaire Photometric Data



Description Information

Luminary Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Date: 2017-04-22 08:31:20
Manufacture: xinfang	Shld. Ang(°):	Test Machine:GON-2000
Test Lab: EVERFINE	Frequency(Hz):	Lamp CCT(K): Ra:
Lum. Size(W*L*H):0.000m*0.000m*0.000m	Lum. Area(m2):0.000	Lum. W(kg):
Test System: C, γ	Test Step: C=22.5 γ=1.0	Temp.(°C):
		Humidity(%):

Character Parameter

Lamp Speciality Parameter	Luminaire Speciality Parameter	
Rated Flux(lm): 25183.185	Luminary Flux(lm): 25183.185	Down Lumens&Percent: 25125.408lm 99.77%
Rated Power(W):	Luminary Efficiency: 100.00%	Up Lumens&Percent: 57.7771m 0.23%
Rated Voltage(V):	Luminary EER(lm/W): 126.867	76° Flash Area(m2):
Tested Power(W): 198.500	Max. Candela(cd): 8388.980	SLI: 0.000
Lamps' Inside: 1	Max Cand@Ang.(°): C=67.5 γ=43.0	IES Classification: Type IV
Tested Electrics(V, A, pf):	Half Peak Angle(°): L=-75.5, R=76.7	Longitudinal Classfct: Very Short
Lamp Size(W*L*H):0.000m*0.000m*0.000m	Field Angle(10%Imax): 166.0(°)	Cutoff Classification: Cutoff

Lighting Distribution Diagram




IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

2D Plane Light Intensity Distribution Curve

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

C Plane Distribution Diagram



C Plane	[50%MaxAng.]	[10%MaxAng.]
C67.5_247.5 :	152.2	166.0
C0.0_180.0 :	78.8	129.2
C90.0_270.0 :	151.6	163.3


IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

3D Light Intensity Distribution Modal

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

3D Light Intensity Distribution Modal



Curves: 3D Model — Fixture — Vert. HUD — Hori. HUD —
View Angles: Orient:0 Tilt:0 Roll:0 Spin:0

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Zonal Flux Tabulation

Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
0.0-1.0	6.37	6.37	0.03	0.03	45.0-46.0	464.66	464.66	1.85	1.85
1.0-2.0	19.10	25.47	0.08	0.10	46.0-47.0	468.33	932.99	1.86	3.70
2.0-3.0	31.80	57.27	0.13	0.23	47.0-48.0	471.49	1404.48	1.87	5.58
3.0-4.0	44.45	101.72	0.18	0.40	48.0-49.0	474.05	1878.53	1.88	7.46
4.0-5.0	57.04	158.76	0.23	0.63	49.0-50.0	475.94	2354.47	1.89	9.35
5.0-6.0	69.55	228.32	0.28	0.91	50.0-51.0	477.09	2831.56	1.89	11.24
6.0-7.0	81.98	310.30	0.33	1.23	51.0-52.0	477.38	3308.95	1.90	13.14
7.0-8.0	94.32	404.62	0.37	1.61	52.0-53.0	476.89	3785.84	1.89	15.03
8.0-9.0	106.58	511.19	0.42	2.03	53.0-54.0	475.60	4261.44	1.89	16.92
9.0-10.0	118.74	629.93	0.47	2.50	54.0-55.0	473.33	4734.77	1.88	18.80
10.0-11.0	130.81	760.74	0.52	3.02	55.0-56.0	469.97	5204.74	1.87	20.67
11.0-12.0	142.79	903.53	0.57	3.59	56.0-57.0	465.39	5670.13	1.85	22.52
12.0-13.0	154.70	1058.23	0.61	4.20	57.0-58.0	459.46	6129.59	1.82	24.34
13.0-14.0	166.53	1224.76	0.66	4.86	58.0-59.0	452.26	6581.84	1.80	26.14
14.0-15.0	178.29	1403.05	0.71	5.57	59.0-60.0	444.18	7026.02	1.76	27.90
15.0-16.0	190.01	1593.06	0.75	6.33	60.0-61.0	435.22	7461.25	1.73	29.63
16.0-17.0	201.71	1794.77	0.80	7.13	61.0-62.0	425.26	7886.50	1.69	31.32
17.0-18.0	213.35	2008.12	0.85	7.97	62.0-63.0	414.57	8301.07	1.65	32.96
18.0-19.0	224.96	2233.09	0.89	8.87	63.0-64.0	403.10	8704.18	1.60	34.56
19.0-20.0	236.58	2469.67	0.94	9.81	64.0-65.0	391.32	9095.50	1.55	36.12
20.0-21.0	248.16	2717.83	0.99	10.79	65.0-66.0	379.75	9475.25	1.51	37.63
21.0-22.0	259.70	2977.52	1.03	11.82	66.0-67.0	368.07	9843.32	1.46	39.09
22.0-23.0	271.16	3248.69	1.08	12.90	67.0-68.0	356.87	10200.19	1.42	40.50
23.0-24.0	282.54	3531.23	1.12	14.02	68.0-69.0	346.27	10546.46	1.38	41.88
24.0-25.0	293.78	3825.01	1.17	15.19	69.0-70.0	335.37	10881.83	1.33	43.21
25.0-26.0	304.82	4129.83	1.21	16.40	70.0-71.0	323.63	11205.46	1.29	44.50
26.0-27.0	315.70	4445.53	1.25	17.65	71.0-72.0	310.63	11516.08	1.23	45.73
27.0-28.0	326.43	4771.96	1.30	18.95	72.0-73.0	295.49	11811.57	1.17	46.90
28.0-29.0	336.92	5108.88	1.34	20.29	73.0-74.0	278.05	12089.62	1.10	48.01
29.0-30.0	347.21	5456.09	1.38	21.67	74.0-75.0	257.17	12346.79	1.02	49.03
30.0-31.0	357.29	5813.38	1.42	23.08	75.0-76.0	231.28	12578.07	0.92	49.95
31.0-32.0	367.05	6180.43	1.46	24.54	76.0-77.0	202.09	12780.16	0.80	50.75
32.0-33.0	376.47	6556.90	1.49	26.04	77.0-78.0	171.41	12951.56	0.68	51.43
33.0-34.0	385.60	6942.50	1.53	27.57	78.0-79.0	140.48	13092.05	0.56	51.99
34.0-35.0	394.42	7336.92	1.57	29.13	79.0-80.0	110.24	13202.29	0.44	52.43
35.0-36.0	402.90	7739.82	1.60	30.73	80.0-81.0	83.16	13285.45	0.33	52.76
36.0-37.0	411.00	8150.82	1.63	32.37	81.0-82.0	61.35	13346.80	0.24	53.00
37.0-38.0	418.66	8569.48	1.66	34.03	82.0-83.0	43.49	13390.29	0.17	53.17
38.0-39.0	425.85	8995.33	1.69	35.72	83.0-84.0	28.20	13418.49	0.11	53.28
39.0-40.0	432.64	9427.97	1.72	37.44	84.0-85.0	15.78	13434.27	0.06	53.35
40.0-41.0	439.03	9866.99	1.74	39.18	85.0-86.0	7.28	13441.55	0.03	53.38
41.0-42.0	445.03	10312.02	1.77	40.95	86.0-87.0	2.74	13444.29	0.01	53.39
42.0-43.0	450.60	10762.62	1.79	42.74	87.0-88.0	1.11	13445.40	0.00	53.39
43.0-44.0	455.73	11218.35	1.81	44.55	88.0-89.0	0.69	13446.09	0.00	53.39
44.0-45.0	460.44	11678.79	1.83	46.38	89.0-90.0	0.52	13446.61	0.00	53.40

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Zonal Flux Tabulation - (Cont.)


Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
90.0-91.0	0.47	0.47	0.00	0.00	135.0-136.0	0.89	0.89	0.00	0.00
91.0-92.0	0.46	0.93	0.00	0.00	136.0-137.0	0.88	1.76	0.00	0.01
92.0-93.0	0.46	1.39	0.00	0.01	137.0-138.0	0.86	2.62	0.00	0.01
93.0-94.0	0.47	1.86	0.00	0.01	138.0-139.0	0.84	3.47	0.00	0.01
94.0-95.0	0.48	2.34	0.00	0.01	139.0-140.0	0.82	4.29	0.00	0.02
95.0-96.0	0.50	2.84	0.00	0.01	140.0-141.0	0.81	5.10	0.00	0.02
96.0-97.0	0.52	3.36	0.00	0.01	141.0-142.0	0.79	5.88	0.00	0.02
97.0-98.0	0.53	3.89	0.00	0.02	142.0-143.0	0.77	6.65	0.00	0.03
98.0-99.0	0.55	4.44	0.00	0.02	143.0-144.0	0.74	7.39	0.00	0.03
99.0-100.0	0.57	5.01	0.00	0.02	144.0-145.0	0.71	8.09	0.00	0.03
100.0-101.0	0.60	5.61	0.00	0.02	145.0-146.0	0.70	8.79	0.00	0.03
101.0-102.0	0.62	6.23	0.00	0.02	146.0-147.0	0.69	9.48	0.00	0.04
102.0-103.0	0.65	6.88	0.00	0.03	147.0-148.0	0.68	10.16	0.00	0.04
103.0-104.0	0.68	7.57	0.00	0.03	148.0-149.0	0.67	10.84	0.00	0.04
104.0-105.0	0.72	8.28	0.00	0.03	149.0-150.0	0.66	11.50	0.00	0.05
105.0-106.0	0.75	9.04	0.00	0.04	150.0-151.0	0.64	12.14	0.00	0.05
106.0-107.0	0.79	9.82	0.00	0.04	151.0-152.0	0.61	12.75	0.00	0.05
107.0-108.0	0.82	10.64	0.00	0.04	152.0-153.0	0.59	13.34	0.00	0.05
108.0-109.0	0.85	11.49	0.00	0.05	153.0-154.0	0.57	13.91	0.00	0.06
109.0-110.0	0.88	12.36	0.00	0.05	154.0-155.0	0.55	14.46	0.00	0.06
110.0-111.0	0.90	13.26	0.00	0.05	155.0-156.0	0.52	14.98	0.00	0.06
111.0-112.0	0.91	14.18	0.00	0.06	156.0-157.0	0.50	15.48	0.00	0.06
112.0-113.0	0.93	15.10	0.00	0.06	157.0-158.0	0.48	15.97	0.00	0.06
113.0-114.0	0.93	16.04	0.00	0.06	158.0-159.0	0.46	16.42	0.00	0.07
114.0-115.0	0.94	16.98	0.00	0.07	159.0-160.0	0.44	16.86	0.00	0.07
115.0-116.0	0.94	17.91	0.00	0.07	160.0-161.0	0.42	17.28	0.00	0.07
116.0-117.0	0.93	18.85	0.00	0.07	161.0-162.0	0.40	17.67	0.00	0.07
117.0-118.0	0.93	19.78	0.00	0.08	162.0-163.0	0.38	18.05	0.00	0.07
118.0-119.0	0.94	20.72	0.00	0.08	163.0-164.0	0.36	18.41	0.00	0.07
119.0-120.0	0.96	21.68	0.00	0.09	164.0-165.0	0.34	18.74	0.00	0.07
120.0-121.0	0.98	22.65	0.00	0.09	165.0-166.0	0.32	19.06	0.00	0.08
121.0-122.0	0.99	23.65	0.00	0.09	166.0-167.0	0.30	19.36	0.00	0.08
122.0-123.0	1.00	24.64	0.00	0.10	167.0-168.0	0.29	19.65	0.00	0.08
123.0-124.0	1.00	25.64	0.00	0.10	168.0-169.0	0.28	19.94	0.00	0.08
124.0-125.0	1.00	26.64	0.00	0.11	169.0-170.0	0.27	20.21	0.00	0.08
125.0-126.0	1.00	27.64	0.00	0.11	170.0-171.0	0.25	20.46	0.00	0.08
126.0-127.0	1.00	28.63	0.00	0.11	171.0-172.0	0.23	20.69	0.00	0.08
127.0-128.0	0.99	29.63	0.00	0.12	172.0-173.0	0.21	20.90	0.00	0.08
128.0-129.0	0.98	30.61	0.00	0.12	173.0-174.0	0.18	21.08	0.00	0.08
129.0-130.0	0.97	31.58	0.00	0.13	174.0-175.0	0.15	21.23	0.00	0.08
130.0-131.0	0.95	32.53	0.00	0.13	175.0-176.0	0.12	21.35	0.00	0.08
131.0-132.0	0.94	33.47	0.00	0.13	176.0-177.0	0.10	21.45	0.00	0.09
132.0-133.0	0.92	34.39	0.00	0.14	177.0-178.0	0.07	21.52	0.00	0.09
133.0-134.0	0.91	35.30	0.00	0.14	178.0-179.0	0.04	21.56	0.00	0.09
134.0-135.0	0.90	36.20	0.00	0.14	179.0-180.0	0.01	21.57	0.00	0.09

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Rectangle ISO Lighting Intensity Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20




Maximum Light Intensity(cd): 8388.98
Maximum Cand.@Angle: H=15.1°,V=40.7°

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Round ISO Lighting Intensity Diagram


Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20



Plane ISO-Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

Plane ISO-Illuminance Curve



Working Plane Luminaire Mounting Height(m): 3.00
 Working Plane Maximum Illuminance(lx): 793.27
 Working Plane Maximum Illuminance Position(d/h):H0.0 V0.2


IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

3D Plane ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

3D Plane Illuminance Modal




Curves: 3D Model — 90% — 80% — 70% — 60% — 50% — 40% — 30% — 20% — 10% —
View Angles(deg): 0 Height(m): 3.0 Distance(m): 10.0

Space ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

Space ISO Illuminance Curve



- Curves:
[Unit: lx]
[EMax] =7139.387
- [EMax*90%]=6425.448
 - [EMax*80%]=5711.510
 - [EMax*70%]=4997.571
 - [EMax*60%]=4283.632
 - [EMax*50%]=3569.693
 - [EMax*40%]=2855.755
 - [EMax*30%]=2141.816
 - [EMax*20%]=1427.877
 - [EMax*10%]=713.939

Space Plane Maximum Illuminance and @Angle:7139.39lx,10.0deg
Plane Maximum Lighting Intensity and @Angle:8290.430cd,0deg


IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Illuminance-Distance Diagram

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20

Illuminance-Distance Curve




Beam Angle:152.2

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Road Coefficient of Utilization Curves

Lum. Name:	Lum. Catalog:	Test ID: 2017-04-22
Lamp Name: 200W	Lamp Catalog:	Test Lab: EVERFINE
Manufacture: xinfang	Test Machine:GON-2000	Test Date: 2017-04-22 08:31:20



Tilt Angles: Ang1(deg): 0 Ang2(deg): 5

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 0.0	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42	6657.42
γ 1.0	6756.96	6751.42	6728.74	6697.14	6660.20	6622.92	6584.52	6560.29	6553.38	6559.67	6582.55	6615.16
γ 2.0	6849.43	6843.03	6798.69	6734.32	6662.93	6584.24	6509.41	6458.52	6444.30	6456.98	6503.84	6573.25
γ 3.0	6939.76	6934.28	6869.90	6769.76	6665.66	6544.80	6434.21	6355.89	6328.54	6353.98	6419.83	6531.12
γ 4.0	7025.96	7021.10	6938.73	6807.84	6667.83	6497.51	6353.39	6245.87	6208.10	6244.73	6328.88	6483.48
γ 5.0	7106.49	7097.55	7006.96	6846.19	6666.10	6450.62	6272.57	6133.83	6085.39	6135.24	6243.74	6433.81
γ 6.0	7187.08	7172.15	7069.66	6883.75	6662.32	6401.19	6190.92	6022.07	5966.94	6022.77	6154.24	6381.69
γ 7.0	7266.46	7249.86	7125.71	6919.43	6656.24	6350.17	6104.21	5917.58	5848.90	5907.09	6065.08	6327.47
γ 8.0	7338.53	7326.95	7185.44	6955.92	6653.52	6297.13	6020.52	5806.73	5730.09	5792.87	5974.34	6274.93
γ 9.0	7406.92	7402.06	7246.61	6994.91	6652.40	6247.56	5934.33	5690.91	5608.29	5677.69	5887.27	6226.84
γ 10.0	7474.92	7471.19	7307.80	7037.78	6647.52	6198.92	5853.29	5575.23	5475.90	5561.01	5801.16	6181.02
γ 11.0	7541.45	7533.30	7366.39	7081.92	6649.29	6156.00	5772.41	5460.23	5337.75	5443.32	5717.25	6135.93
γ 12.0	7603.79	7595.31	7421.49	7123.75	6654.17	6115.64	5692.87	5344.37	5208.52	5324.07	5637.20	6095.02
γ 13.0	7661.11	7657.10	7478.92	7168.44	6662.82	6081.71	5611.33	5224.44	5083.63	5208.53	5552.50	6053.28
γ 14.0	7716.40	7711.08	7537.17	7214.14	6683.45	6053.47	5527.69	5108.58	4963.18	5096.82	5463.64	6015.36
γ 15.0	7773.01	7761.65	7591.01	7261.80	6711.16	6026.44	5445.39	5000.52	4848.55	4986.08	5377.73	5979.06
γ 16.0	7832.47	7815.66	7647.07	7307.91	6740.73	6001.96	5360.99	4903.38	4742.96	4878.77	5291.16	5945.79
γ 17.0	7890.41	7866.16	7700.71	7355.61	6773.28	5980.98	5281.29	4812.21	4649.94	4779.12	5206.57	5915.26
γ 18.0	7944.61	7913.83	7749.22	7405.07	6812.48	5968.17	5205.35	4722.36	4559.30	4682.99	5122.69	5886.51
γ 19.0	7995.02	7958.26	7795.10	7460.42	6851.86	5958.80	5135.54	4638.35	4477.13	4592.53	5041.20	5862.25
γ 20.0	8043.12	7999.62	7844.28	7513.84	6893.52	5952.25	5067.63	4560.72	4394.51	4509.57	4961.59	5839.30
γ 21.0	8093.00	8041.36	7890.60	7568.61	6941.06	5940.56	5005.23	4481.26	4314.67	4430.88	4886.52	5817.29
γ 22.0	8132.62	8084.62	7937.95	7625.87	6987.03	5931.05	4947.92	4408.43	4233.68	4356.23	4822.37	5796.49
γ 23.0	8175.31	8124.98	7979.58	7684.98	7033.40	5918.02	4888.83	4336.34	4150.80	4279.98	4763.11	5774.01
γ 24.0	8216.49	8155.29	8022.60	7745.08	7090.13	5905.11	4827.82	4260.82	4067.82	4207.44	4704.07	5754.32
γ 25.0	8248.11	8181.75	8061.62	7803.34	7142.31	5888.94	4769.48	4184.77	3990.95	4130.87	4645.68	5730.09
γ 26.0	8270.50	8199.70	8094.77	7857.34	7193.63	5873.35	4711.18	4103.21	3919.08	4056.85	4587.20	5706.98
γ 27.0	8283.50	8217.14	8125.80	7909.57	7242.78	5859.29	4652.63	4025.61	3849.84	3979.72	4529.51	5683.52
γ 28.0	8290.43	8231.52	8153.93	7959.22	7289.75	5843.50	4601.56	3949.40	3777.42	3905.48	4471.11	5657.94
γ 29.0	8281.23	8239.59	8177.77	8006.26	7333.89	5822.38	4554.40	3877.04	3708.70	3834.30	4413.84	5631.92
γ 30.0	8268.48	8240.84	8199.62	8053.17	7387.26	5800.64	4508.83	3804.38	3640.94	3766.79	4359.44	5602.92
γ 31.0	8239.46	8233.79	8217.48	8100.42	7429.52	5773.45	4462.86	3736.99	3575.18	3702.27	4308.41	5573.20
γ 32.0	8202.50	8213.14	8232.34	8141.62	7474.56	5743.29	4416.10	3673.94	3509.80	3639.40	4257.67	5542.60
γ 33.0	8154.35	8185.44	8244.88	8179.78	7514.16	5712.92	4366.35	3615.36	3444.74	3576.30	4207.71	5509.48
γ 34.0	8102.45	8149.07	8259.02	8210.93	7551.21	5688.68	4316.99	3554.86	3379.84	3515.68	4162.56	5474.28
γ 35.0	8034.76	8105.70	8270.36	8241.93	7586.32	5664.21	4271.74	3492.81	3312.92	3457.26	4118.90	5439.72
γ 36.0	7963.67	8045.90	8275.51	8272.13	7619.22	5637.27	4228.36	3429.62	3242.82	3400.30	4074.74	5404.18
γ 37.0	7883.31	7985.12	8278.27	8302.91	7646.21	5604.31	4185.63	3366.49	3170.67	3338.74	4028.35	5371.46
γ 38.0	7788.53	7917.40	8269.50	8329.33	7668.97	5570.45	4142.97	3304.02	3093.30	3273.19	3982.33	5343.31
γ 39.0	7683.66	7840.28	8255.98	8347.86	7697.98	5537.79	4095.05	3240.56	3015.92	3203.47	3933.95	5317.37
γ 40.0	7576.18	7765.48	8239.85	8360.34	7725.64	5513.40	4041.62	3173.91	2938.61	3128.74	3885.25	5291.09
γ 41.0	7455.33	7675.46	8221.94	8368.85	7749.86	5494.73	3989.87	3101.52	2868.05	3054.00	3836.64	5269.83
γ 42.0	7329.12	7592.17	8196.76	8380.39	7772.11	5481.20	3943.32	3029.14	2798.59	2979.27	3780.38	5251.73
γ 43.0	7192.84	7490.26	8167.47	8388.98	7787.81	5465.90	3899.97	2956.81	2729.59	2904.93	3725.63	5234.64
γ 44.0	7039.21	7390.60	8137.83	8387.41	7802.21	5448.17	3854.74	2888.08	2661.85	2839.54	3677.17	5215.00

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 45.0	6875.69	7278.28	8097.72	8383.63	7815.00	5427.64	3806.36	2823.92	2597.86	2777.19	3631.47	5194.01
γ 46.0	6697.37	7153.19	8054.94	8372.57	7826.32	5410.30	3760.97	2760.06	2532.98	2717.26	3581.51	5169.33
γ 47.0	6511.01	7008.98	8005.79	8360.46	7834.96	5393.52	3716.12	2698.48	2471.19	2655.76	3530.60	5147.40
γ 48.0	6312.42	6859.30	7953.70	8355.70	7838.30	5382.48	3666.48	2635.67	2409.90	2597.79	3474.82	5129.49
γ 49.0	6092.55	6686.79	7892.69	8352.86	7843.85	5372.75	3613.23	2575.09	2351.17	2534.43	3418.66	5106.72
γ 50.0	5865.95	6508.86	7826.89	8349.52	7847.02	5356.04	3555.74	2514.12	2287.83	2472.11	3362.05	5082.72
γ 51.0	5613.32	6316.16	7752.82	8347.31	7839.70	5336.44	3499.68	2459.71	2226.49	2410.52	3303.41	5057.88
γ 52.0	5351.16	6099.69	7659.58	8331.08	7827.96	5314.26	3450.12	2405.79	2166.60	2348.55	3245.87	5034.71
γ 53.0	5077.11	5872.11	7556.64	8296.26	7815.61	5299.29	3401.57	2352.33	2105.61	2288.24	3187.80	5011.40
γ 54.0	4777.83	5634.57	7436.23	8253.16	7798.18	5283.62	3353.21	2293.27	2042.04	2231.73	3131.41	4992.10
γ 55.0	4429.42	5387.17	7300.19	8197.95	7774.01	5264.11	3303.84	2233.45	1980.60	2175.69	3075.57	4968.50
γ 56.0	4016.07	5119.09	7158.23	8138.41	7747.44	5240.14	3249.06	2176.90	1919.51	2118.94	3019.73	4937.30
γ 57.0	3526.57	4819.86	7011.33	8073.91	7719.35	5221.97	3195.89	2119.37	1865.70	2059.05	2963.85	4904.30
γ 58.0	2992.03	4473.00	6842.05	8002.18	7697.30	5207.91	3134.92	2063.68	1815.79	2005.21	2906.23	4876.97
γ 59.0	2499.30	4070.21	6653.62	7926.15	7691.66	5191.16	3067.11	2008.08	1753.18	1957.62	2845.67	4851.26
γ 60.0	2089.30	3647.22	6453.48	7834.71	7685.42	5179.37	2999.31	1958.03	1658.19	1913.12	2783.28	4821.22
γ 61.0	1743.35	3199.93	6237.82	7728.96	7672.71	5169.82	2931.64	1909.96	1498.74	1866.28	2719.06	4793.36
γ 62.0	1399.49	2766.01	6000.82	7619.64	7650.10	5158.63	2870.15	1857.88	1295.21	1806.73	2658.84	4779.60
γ 63.0	1055.62	2335.65	5753.54	7510.77	7618.50	5146.56	2810.21	1792.53	1116.83	1726.99	2601.32	4759.78
γ 64.0	711.75	1904.84	5482.27	7409.21	7575.75	5128.25	2753.98	1703.14	979.86	1613.94	2542.68	4738.19
γ 65.0	538.11	1522.34	5186.15	7302.79	7537.59	5110.51	2695.64	1575.78	890.59	1451.52	2482.49	4708.27
γ 66.0	427.19	1232.14	4871.45	7188.26	7494.77	5092.06	2637.69	1393.24	775.96	1280.57	2418.41	4677.01
γ 67.0	358.87	943.27	4525.71	7058.85	7467.11	5072.30	2581.32	1229.72	633.55	1128.03	2351.80	4645.40
γ 68.0	325.96	732.31	4152.22	6914.68	7437.07	5061.49	2511.21	1094.44	554.79	1004.13	2281.34	4601.00
γ 69.0	305.12	556.68	3750.24	6768.34	7386.60	5054.20	2436.66	974.16	508.14	891.54	2210.92	4520.39
γ 70.0	287.07	420.82	3316.59	6608.83	7298.64	5047.22	2361.59	858.06	458.95	791.10	2124.39	4470.30
γ 71.0	273.32	331.92	2923.92	6426.34	7098.18	5027.01	2256.40	753.52	409.70	693.25	2004.99	4446.53
γ 72.0	261.32	283.78	2584.10	6217.79	6764.34	4978.08	2120.76	650.52	367.91	585.73	1884.92	4479.62
γ 73.0	253.13	258.88	2266.69	5964.63	6257.20	4879.69	1992.11	534.31	334.64	479.16	1780.95	4506.83
γ 74.0	238.72	242.05	1961.26	5645.14	5633.47	4777.20	1915.13	439.68	303.60	422.20	1690.87	4477.09
γ 75.0	215.15	229.61	1649.40	5276.99	4814.52	4672.42	1837.14	388.75	268.28	381.35	1604.74	4349.49
γ 76.0	195.15	215.57	1344.88	4699.99	3952.47	4461.46	1741.29	352.78	234.61	335.90	1487.50	4049.26
γ 77.0	179.42	197.70	1040.59	3969.78	3346.54	3999.83	1571.41	310.19	204.62	288.52	1303.68	3735.29
γ 78.0	162.43	179.31	666.40	3299.14	2740.61	3568.72	1320.01	260.95	179.91	242.85	1118.60	3185.20
γ 79.0	146.71	161.37	398.75	2734.05	2134.22	2986.12	1068.85	231.65	157.15	213.89	942.35	2635.11
γ 80.0	129.90	140.11	212.23	2127.98	1504.88	2403.52	750.79	208.13	134.89	189.27	648.47	2085.04
γ 81.0	111.13	116.94	144.06	1650.37	1003.49	1821.39	506.79	183.25	111.99	163.71	440.45	1544.03
γ 82.0	87.54	94.98	109.68	1260.11	680.98	1272.56	365.65	158.13	91.39	139.74	303.89	1203.00
γ 83.0	68.47	75.99	82.75	871.92	425.92	936.01	223.34	134.49	72.79	113.84	213.08	782.31
γ 84.0	45.86	56.73	59.12	505.64	227.27	565.96	141.72	109.05	57.06	90.59	140.09	385.84
γ 85.0	26.17	33.82	39.99	231.47	73.91	298.66	94.01	78.06	41.83	68.89	81.96	174.31
γ 86.0	5.05	12.66	22.21	71.91	28.96	90.40	52.69	50.80	24.00	45.90	50.76	54.63
γ 87.0	2.61	3.47	9.66	19.72	16.44	17.07	18.90	14.99	5.21	15.09	20.79	15.81
γ 88.0	0.78	1.79	5.14	13.96	13.93	13.92	6.81	3.93	3.12	4.06	6.85	12.94
γ 89.0	0.11	0.22	3.16	10.90	9.99	9.32	3.67	1.82	1.78	2.83	4.11	9.40

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 90.0	0.00	0.10	2.76	9.89	9.35	8.14	2.29	0.00	0.00	0.26	3.22	8.95
γ 91.0	0.00	0.05	2.66	9.41	9.30	8.09	2.29	0.00	0.00	0.30	3.17	8.95
γ 92.0	0.00	0.00	2.70	9.06	9.35	8.14	2.34	0.00	0.00	0.20	3.32	9.00
γ 93.0	0.00	0.00	2.80	9.00	9.40	8.14	2.55	0.00	0.00	0.20	3.32	9.16
γ 94.0	0.00	0.00	2.76	8.95	9.71	8.45	2.70	0.00	0.00	0.20	3.58	9.37
γ 95.0	0.00	0.00	2.81	8.95	9.96	8.79	2.95	0.00	0.00	0.20	3.93	9.62
γ 96.0	0.00	1.70	3.01	8.90	10.26	8.95	3.31	0.00	0.00	0.21	4.14	9.93
γ 97.0	0.00	2.13	3.21	8.80	10.61	9.35	3.82	0.00	0.00	0.31	4.55	10.23
γ 98.0	0.00	1.00	3.51	8.80	10.92	9.50	4.28	0.21	0.00	0.31	4.96	10.39
γ 99.0	0.00	0.97	3.62	8.75	11.32	9.76	4.64	0.36	0.00	0.57	5.32	10.70
γ 100.0	0.40	1.22	3.92	8.75	11.57	10.11	5.14	0.51	0.00	0.82	5.69	11.05
γ 101.0	0.36	1.32	4.08	8.90	12.03	10.42	5.50	0.77	0.00	1.13	6.19	11.41
γ 102.0	0.56	1.53	4.33	9.35	12.23	10.82	5.75	1.02	0.15	1.38	6.58	11.76
γ 103.0	0.76	1.83	4.49	9.61	12.58	11.22	6.26	1.32	0.31	1.83	7.00	11.92
γ 104.0	1.11	1.98	4.80	9.82	13.00	11.38	6.66	1.74	0.62	2.15	7.41	12.45
γ 105.0	1.22	2.24	5.20	10.22	13.39	11.73	7.18	2.29	0.97	2.55	7.86	13.05
γ 106.0	1.52	2.54	5.46	10.53	13.70	11.98	7.69	2.75	1.13	3.07	8.17	13.46
γ 107.0	1.67	2.75	5.67	10.94	13.96	12.23	7.89	3.21	1.49	3.63	8.48	13.98
γ 108.0	2.02	2.95	5.96	11.45	14.25	12.39	8.09	3.66	1.99	4.13	8.78	14.54
γ 109.0	2.28	3.15	6.07	11.95	14.56	12.94	8.34	4.26	2.55	4.59	8.98	15.19
γ 110.0	2.53	3.31	6.28	12.22	14.70	13.55	8.39	4.72	2.95	5.05	9.09	15.66
γ 111.0	2.74	3.26	6.38	12.52	14.70	13.96	8.50	4.98	3.41	5.41	9.45	16.06
γ 112.0	2.94	3.51	6.58	12.74	14.70	14.26	8.75	5.28	3.77	5.91	9.75	16.06
γ 113.0	3.04	3.51	6.84	12.89	14.70	14.56	8.81	5.28	4.32	6.06	9.96	16.06
γ 114.0	3.19	3.56	7.09	12.94	14.70	14.60	9.10	5.33	4.87	6.06	10.06	16.06
γ 115.0	3.59	3.62	7.15	13.09	14.70	14.60	9.31	5.18	5.38	5.70	10.67	15.86
γ 116.0	3.75	3.47	7.45	13.09	14.60	14.60	9.57	4.67	5.84	5.45	11.03	15.75
γ 117.0	3.90	3.27	7.55	13.19	14.65	14.60	10.03	4.73	5.98	5.40	11.34	15.70
γ 118.0	3.91	3.21	7.76	13.15	14.45	14.60	10.49	5.10	5.94	5.72	11.80	15.65
γ 119.0	3.76	3.85	7.81	13.15	14.30	14.60	10.89	6.12	5.99	6.45	12.36	15.65
γ 120.0	3.75	4.67	7.96	13.15	14.20	14.60	10.98	7.37	6.20	7.76	12.71	15.65
γ 121.0	4.20	5.29	7.91	13.15	14.14	14.50	10.89	8.12	7.21	8.97	12.76	15.65
γ 122.0	5.25	5.85	7.91	13.15	14.00	14.35	10.94	8.63	8.39	9.58	12.71	15.65
γ 123.0	6.02	6.16	7.91	13.10	13.74	14.20	10.88	8.89	9.65	10.00	12.71	15.65
γ 124.0	6.23	6.36	7.91	13.09	13.59	14.15	10.78	9.29	10.15	10.61	12.76	15.66
γ 125.0	6.49	6.71	7.91	13.04	13.59	14.15	10.73	9.75	10.51	10.96	12.87	15.91
γ 126.0	6.79	6.83	7.91	13.04	13.55	14.10	10.73	10.11	10.86	11.46	13.17	15.96
γ 127.0	6.95	7.23	7.91	13.04	13.74	14.15	10.73	10.51	11.26	11.92	13.43	15.80
γ 128.0	7.15	7.18	7.91	12.99	13.69	13.74	10.78	10.97	11.83	12.44	13.73	15.59
γ 129.0	7.60	7.38	7.96	12.64	13.69	13.29	10.83	11.37	12.38	12.99	13.83	15.24
γ 130.0	7.81	7.44	7.96	11.98	13.54	12.73	10.94	11.84	12.74	13.46	13.83	15.08
γ 131.0	7.96	7.74	8.01	11.46	13.34	12.48	10.93	12.29	13.05	14.02	13.83	14.88
γ 132.0	8.06	7.89	8.01	11.21	13.19	12.33	10.88	12.80	13.65	14.42	13.88	14.78
γ 133.0	8.51	8.09	8.01	10.90	13.18	12.03	10.78	13.15	14.15	14.77	13.47	14.73
γ 134.0	9.52	8.45	8.16	10.95	12.88	12.08	10.53	13.35	14.57	14.72	13.01	14.73

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 135.0	10.69	8.61	8.12	10.84	12.88	12.03	10.42	13.55	15.17	14.77	12.60	14.73
γ 136.0	11.71	8.66	8.12	10.84	12.68	12.13	9.97	13.60	15.69	14.57	12.25	14.78
γ 137.0	12.76	9.01	7.92	10.89	12.58	12.14	9.50	13.55	16.20	14.52	11.52	14.84
γ 138.0	12.78	9.22	7.71	10.89	12.48	12.53	9.00	13.55	16.85	14.42	10.76	15.20
γ 139.0	12.73	9.47	7.30	10.89	12.63	12.58	8.85	13.60	17.04	14.37	10.25	15.45
γ 140.0	13.33	9.53	7.00	10.94	12.58	12.63	8.90	13.55	17.04	14.37	10.06	15.45
γ 141.0	15.01	9.68	6.79	10.55	12.58	12.53	8.85	13.40	17.14	14.41	10.06	15.39
γ 142.0	15.01	9.63	6.69	10.34	12.58	12.52	8.90	13.35	17.13	14.16	10.21	15.24
γ 143.0	14.77	9.63	6.64	10.08	12.48	12.13	8.91	13.25	16.62	14.11	10.36	15.24
γ 144.0	13.81	9.63	6.69	10.03	12.28	11.98	9.21	13.25	14.00	14.11	10.47	15.09
γ 145.0	12.38	9.63	6.74	9.87	12.27	11.98	9.73	13.25	14.08	14.12	10.73	14.73
γ 146.0	12.67	10.02	7.04	9.87	12.08	11.98	10.28	13.40	15.13	14.31	11.14	14.57
γ 147.0	13.03	10.14	7.39	9.87	12.03	11.98	10.79	13.35	15.88	14.26	11.80	14.42
γ 148.0	14.22	10.09	7.75	9.87	12.03	11.98	11.29	13.30	16.45	14.26	12.68	14.47
γ 149.0	14.20	10.24	8.17	9.87	12.03	11.98	11.80	13.04	17.14	14.26	13.59	14.26
γ 150.0	14.20	10.49	8.47	9.87	12.02	11.98	11.95	12.79	16.69	14.26	14.24	13.90
γ 151.0	14.25	10.44	8.88	9.87	11.87	11.98	11.83	12.64	16.32	14.01	14.24	13.55
γ 152.0	13.60	10.44	9.38	9.87	11.67	11.98	10.07	12.18	15.36	14.16	14.24	13.20
γ 153.0	12.76	10.54	9.60	9.92	11.57	11.98	12.36	12.18	15.06	14.31	13.93	13.15
γ 154.0	12.73	10.95	9.90	10.17	11.16	11.98	12.26	12.13	14.84	14.30	13.78	13.15
γ 155.0	12.48	10.95	10.05	10.28	10.86	11.98	11.90	12.13	13.80	13.60	13.62	13.15
γ 156.0	12.43	11.10	10.16	10.38	10.31	12.03	11.90	12.13	13.39	13.55	13.32	13.15
γ 157.0	12.33	11.31	10.31	10.59	10.26	11.87	11.75	12.13	13.39	13.55	13.01	13.15
γ 158.0	12.47	11.31	10.36	10.64	10.31	11.77	11.49	12.13	13.28	13.45	12.81	13.15
γ 159.0	12.53	11.56	10.36	9.89	10.56	11.67	11.24	12.18	12.88	13.29	12.61	13.15
γ 160.0	12.43	11.66	10.36	10.22	10.77	11.41	11.24	12.18	12.53	13.03	12.50	13.20
γ 161.0	12.43	11.72	10.41	10.23	11.12	11.07	11.19	12.18	12.53	12.73	12.25	13.20
γ 162.0	12.33	11.72	10.56	10.23	11.32	10.76	11.19	12.18	12.12	12.37	12.20	13.41
γ 163.0	12.08	11.82	10.57	10.28	11.47	10.71	11.19	12.18	11.87	12.22	12.19	13.76
γ 164.0	12.02	11.77	10.62	10.28	11.47	10.67	11.19	12.18	11.87	12.07	11.89	14.02
γ 165.0	11.92	11.77	10.82	10.28	11.47	10.88	11.20	12.18	11.82	11.87	11.89	14.07
γ 166.0	11.92	11.82	10.97	10.28	11.58	11.38	11.50	12.30	11.87	12.03	11.90	14.17
γ 167.0	11.97	12.07	11.58	10.33	12.23	12.08	11.56	12.92	12.52	12.49	12.57	14.69
γ 168.0	11.77	12.58	12.25	10.99	12.43	12.44	12.11	14.18	14.43	14.21	14.22	15.48
γ 169.0	11.77	12.94	12.70	11.15	12.74	12.64	12.57	15.18	15.63	15.59	15.11	16.47
γ 170.0	12.36	13.44	13.06	11.45	13.44	13.51	12.93	15.18	16.24	16.16	15.83	16.52
γ 171.0	13.43	13.65	13.42	11.81	13.95	14.00	13.43	15.18	16.58	16.51	15.98	16.37
γ 172.0	14.38	13.80	13.52	11.87	14.10	14.15	13.79	15.18	16.43	16.66	15.97	16.31
γ 173.0	14.80	13.76	13.63	11.87	14.15	14.15	13.89	15.18	16.13	16.61	15.67	16.06
γ 174.0	15.06	13.75	13.83	12.12	14.20	14.15	13.99	15.22	16.13	16.61	15.62	16.06
γ 175.0	15.17	13.96	14.19	12.33	14.15	14.20	14.14	15.07	15.97	16.71	15.51	15.85
γ 176.0	15.22	14.06	14.39	12.63	14.15	14.15	14.14	14.92	15.67	16.66	15.31	15.54
γ 177.0	15.41	14.16	14.54	12.63	13.89	14.04	14.04	14.52	15.26	16.24	14.90	15.39
γ 178.0	15.47	14.16	14.55	12.74	13.64	13.64	13.83	14.26	14.91	15.84	14.38	15.13
γ 179.0	15.52	13.91	14.55	12.74	13.39	13.34	13.43	14.06	14.25	15.54	13.83	14.73

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C0.0	C22.5	C45.0	C67.5	C90.0	C112.5	C135.0	C157.5	C180.0	C202.5	C225.0	C247.5
γ 180.0	15.56	15.56	15.56	15.56	15.56	15.56	15.56	15.56	15.56	15.56	15.56	15.56
V/H	C270.0	C292.5	C315.0	C337.5								
γ 0.0	6657.42	6657.42	6657.42	6657.42								
γ 1.0	6653.12	6689.86	6726.86	6749.72								
γ 2.0	6646.54	6720.91	6792.19	6838.80								
γ 3.0	6638.22	6750.37	6857.03	6925.30								
γ 4.0	6628.82	6779.17	6924.63	7007.90								
γ 5.0	6619.48	6808.83	6995.37	7085.15								
γ 6.0	6607.87	6838.73	7062.28	7153.63								
γ 7.0	6594.11	6869.48	7125.85	7217.62								
γ 8.0	6583.70	6901.78	7189.08	7286.73								
γ 9.0	6573.84	6932.01	7248.98	7356.42								
γ 10.0	6571.00	6967.28	7303.77	7420.47								
γ 11.0	6574.82	7004.81	7357.15	7476.61								
γ 12.0	6582.51	7041.37	7409.82	7539.04								
γ 13.0	6592.16	7078.89	7459.46	7602.81								
γ 14.0	6605.87	7117.61	7508.24	7661.49								
γ 15.0	6622.73	7153.20	7558.95	7714.48								
γ 16.0	6643.16	7189.71	7607.78	7763.78								
γ 17.0	6665.15	7228.42	7651.78	7812.17								
γ 18.0	6689.72	7268.04	7689.18	7851.06								
γ 19.0	6717.87	7311.48	7730.64	7891.39								
γ 20.0	6749.87	7359.12	7773.11	7933.20								
γ 21.0	6783.19	7404.27	7813.14	7972.05								
γ 22.0	6823.97	7444.81	7850.58	8002.55								
γ 23.0	6864.18	7486.66	7884.84	8039.62								
γ 24.0	6904.48	7533.39	7913.44	8073.11								
γ 25.0	6950.06	7574.78	7939.90	8100.19								
γ 26.0	6998.53	7613.70	7966.17	8117.58								
γ 27.0	7046.72	7660.44	7990.58	8138.68								
γ 28.0	7089.58	7706.13	8014.89	8154.64								
γ 29.0	7129.59	7752.59	8034.48	8153.58								
γ 30.0	7171.64	7799.19	8047.53	8153.01								
γ 31.0	7218.35	7841.44	8059.70	8144.82								
γ 32.0	7260.27	7875.30	8062.57	8128.53								
γ 33.0	7299.21	7906.47	8070.34	8102.82								
γ 34.0	7332.25	7939.38	8078.47	8058.66								
γ 35.0	7360.19	7971.07	8085.78	8013.94								
γ 36.0	7387.33	7999.13	8090.30	7965.07								
γ 37.0	7414.66	8019.81	8095.73	7901.43								
γ 38.0	7440.79	8040.94	8098.10	7825.96								
γ 39.0	7460.53	8060.02	8092.20	7749.51								
γ 40.0	7476.25	8078.44	8080.68	7670.61								
γ 41.0	7480.39	8099.01	8061.32	7590.12								
γ 42.0	7479.89	8114.63	8039.97	7497.58								

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 43.0	7475.56	8123.20	8011.44	7407.47
γ 44.0	7474.38	8124.46	7983.56	7307.47
γ 45.0	7475.99	8127.17	7957.05	7195.26
γ 46.0	7480.91	8129.94	7923.54	7067.86
γ 47.0	7487.00	8134.36	7874.58	6934.81
γ 48.0	7489.73	8135.46	7827.31	6778.48
γ 49.0	7490.88	8128.88	7777.06	6614.27
γ 50.0	7495.15	8117.07	7714.34	6437.58
γ 51.0	7494.21	8099.41	7631.96	6242.55
γ 52.0	7490.91	8070.07	7537.22	6034.84
γ 53.0	7492.50	8036.41	7431.64	5815.46
γ 54.0	7485.45	8000.25	7313.44	5582.00
γ 55.0	7473.98	7955.16	7190.97	5340.58
γ 56.0	7465.23	7904.39	7063.42	5084.28
γ 57.0	7452.56	7849.47	6917.91	4797.05
γ 58.0	7428.25	7781.81	6764.50	4479.15
γ 59.0	7403.68	7701.13	6589.25	4101.77
γ 60.0	7386.74	7623.03	6410.30	3676.76
γ 61.0	7362.70	7540.23	6198.23	3227.10
γ 62.0	7341.95	7448.49	5974.45	2777.69
γ 63.0	7320.37	7349.87	5730.05	2350.84
γ 64.0	7275.44	7245.86	5462.51	1932.15
γ 65.0	7209.95	7129.08	5174.55	1540.07
γ 66.0	7143.54	6977.28	4856.90	1258.38
γ 67.0	7091.10	6815.76	4511.55	979.87
γ 68.0	7073.09	6661.83	4139.91	777.24
γ 69.0	7027.61	6538.31	3751.32	598.16
γ 70.0	6956.68	6415.28	3341.50	445.06
γ 71.0	6804.06	6267.33	2929.58	336.41
γ 72.0	6500.65	6072.66	2569.02	278.87
γ 73.0	6011.75	5817.74	2220.55	252.98
γ 74.0	5364.15	5528.55	1932.93	237.64
γ 75.0	4375.77	5112.73	1665.71	224.91
γ 76.0	3596.45	4437.33	1325.34	213.29
γ 77.0	2942.23	3735.50	984.70	193.37
γ 78.0	2447.03	3040.86	644.05	172.86
γ 79.0	1939.05	2370.64	330.15	154.95
γ 80.0	1494.63	1742.30	207.06	134.07
γ 81.0	1051.64	1391.02	138.49	111.57
γ 82.0	608.66	1044.28	100.97	89.78
γ 83.0	346.92	697.54	73.80	70.65
γ 84.0	192.15	411.94	51.20	51.91
γ 85.0	47.88	178.68	34.47	29.69
γ 86.0	21.84	39.25	17.50	9.01
γ 87.0	15.16	16.56	8.50	3.43

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 88.0	12.34	12.84	5.42	1.52
γ 89.0	10.30	10.82	4.23	0.63
γ 90.0	9.96	10.18	3.92	0.31
γ 91.0	9.75	9.57	3.77	0.30
γ 92.0	9.75	9.45	3.76	0.26
γ 93.0	10.00	9.40	3.67	0.25
γ 94.0	10.20	9.30	3.61	0.25
γ 95.0	10.80	9.15	3.61	0.35
γ 96.0	11.16	9.15	3.66	0.41
γ 97.0	11.62	9.10	3.71	0.51
γ 98.0	12.08	9.05	3.71	0.61
γ 99.0	12.73	9.05	3.76	0.91
γ 100.0	13.23	9.05	3.91	1.26
γ 101.0	13.84	9.29	4.02	1.32
γ 102.0	14.19	9.50	4.22	1.47
γ 103.0	14.64	9.80	4.37	1.72
γ 104.0	15.14	10.20	4.52	2.12
γ 105.0	15.70	10.71	4.77	2.08
γ 106.0	16.16	11.11	5.18	2.33
γ 107.0	16.67	11.62	5.29	2.74
γ 108.0	17.27	11.97	5.49	2.79
γ 109.0	17.57	12.47	5.64	2.89
γ 110.0	17.83	12.48	5.89	3.24
γ 111.0	18.09	12.89	6.05	3.25
γ 112.0	18.14	12.99	6.45	3.45
γ 113.0	18.24	13.24	6.61	3.55
γ 114.0	18.34	13.24	6.87	3.60
γ 115.0	18.49	13.34	6.92	3.70
γ 116.0	18.59	13.34	7.02	3.35
γ 117.0	18.54	13.34	7.22	3.00
γ 118.0	18.54	13.29	7.32	3.04
γ 119.0	18.54	13.29	7.57	3.94
γ 120.0	18.64	13.14	7.58	5.11
γ 121.0	18.60	13.09	7.73	5.47
γ 122.0	18.64	13.04	7.68	5.63
γ 123.0	18.49	13.04	7.68	5.94
γ 124.0	18.30	13.09	7.73	6.19
γ 125.0	18.19	13.09	7.48	6.24
γ 126.0	18.04	13.09	7.43	6.49
γ 127.0	17.99	13.09	7.38	6.65
γ 128.0	17.89	12.94	7.33	6.75
γ 129.0	17.74	12.53	7.32	6.85
γ 130.0	17.09	12.08	7.27	7.00
γ 131.0	16.43	11.68	7.07	7.10
γ 132.0	16.02	11.33	7.02	7.40

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 133.0	15.77	11.07	7.02	7.51
γ 134.0	15.42	10.66	7.02	7.66
γ 135.0	15.21	10.66	6.82	7.82
γ 136.0	14.96	10.66	6.87	7.92
γ 137.0	14.91	10.61	6.72	7.97
γ 138.0	14.61	10.66	6.62	8.17
γ 139.0	14.55	10.56	6.41	8.37
γ 140.0	14.55	10.26	6.31	8.43
γ 141.0	14.15	9.91	6.31	8.53
γ 142.0	13.85	9.50	6.36	8.78
γ 143.0	13.80	9.35	6.41	8.83
γ 144.0	13.44	9.10	6.71	8.83
γ 145.0	13.24	9.00	6.92	8.93
γ 146.0	12.99	9.00	7.21	9.38
γ 147.0	12.69	8.85	7.63	9.39
γ 148.0	12.49	8.84	7.83	9.44
γ 149.0	12.38	8.79	8.24	9.44
γ 150.0	12.23	8.69	8.54	9.59
γ 151.0	12.13	8.64	9.14	9.54
γ 152.0	11.68	8.64	9.41	9.74
γ 153.0	11.47	8.59	9.71	10.05
γ 154.0	11.02	8.74	9.97	10.10
γ 155.0	10.57	8.74	10.17	10.45
γ 156.0	10.06	8.74	10.17	10.61
γ 157.0	9.85	8.74	10.27	10.85
γ 158.0	9.80	8.74	10.27	10.86
γ 159.0	9.85	8.74	10.43	10.96
γ 160.0	10.05	8.79	10.58	11.11
γ 161.0	10.49	8.74	10.88	11.17
γ 162.0	10.76	8.89	11.04	11.17
γ 163.0	10.91	9.19	11.24	11.17
γ 164.0	10.86	9.30	11.55	11.31
γ 165.0	10.86	9.45	11.65	11.17
γ 166.0	10.91	9.75	11.75	10.72
γ 167.0	11.66	10.15	12.05	10.56
γ 168.0	11.92	10.60	12.86	11.20
γ 169.0	12.32	11.02	13.27	12.37
γ 170.0	12.68	11.42	13.53	13.37
γ 171.0	13.03	11.72	13.78	13.65
γ 172.0	13.33	11.92	14.13	13.70
γ 173.0	13.34	12.27	14.19	13.81
γ 174.0	13.34	12.48	14.24	13.81
γ 175.0	13.59	12.88	14.49	14.10
γ 176.0	13.59	13.23	14.55	14.21
γ 177.0	13.59	13.49	14.75	14.31

IES Road Report

Photometric Filename:200W-120V_IESNA2002.IES

Candela Tabulation - (Cont.)

V/H	C270.0	C292.5	C315.0	C337.5
γ 178.0	13.64	13.84	14.70	14.26
γ 179.0	13.40	13.70	14.45	14.26
γ 180.0	15.56	15.56	15.56	15.56
